10/27/04 MDS 2002		MEDICARE CURRENT BENEFICIARY Minimum Data Set	Y SURVEY RIC: MD Page: 1 Version: 1	
Variable		Frequency ComQues# FacQues#	Variable Type & Label	
RIC	1 2		C Record Identification Code	
VERSION	3 1		C Version Number	
BASEID	4 8 \$BSIDFM	Γ	C Unique SP Identification Number	
		16,011 LOW-HI	GH BASEID Count	
AA2	12 2 GEND		N ID; gender	
		1 4,617 11,393	-1 Unable to determine 1 Male 2 Female	
AA3	14 10		N ID; birthdate	
AA4	24 2 RACEETH		N ID; race/ethnicity	
		2 34 88 126 1,913 632 13,216	. Missing -1 Unable to determine 1 Amer Indian/Alaskan Native 2 Asian/Pacific Islander 3 Black, not of Hispanic origin 4 Hispanic 5 White, not of Hispanic origin	
AA6A	26 15		C ID; facility provider number, state	
ААбВ	41 12		C ID, facility provider number, federal	
AA8A	53 2 \$PASSES	3	C ID; primary reason for assessment	
		2,415 1,558 1,466 821 10 6,040 1,235 1,173 249 1,030	00 None of above 01 Admission assessment 02 Annual assessment 03 Signif change is status assessment 04 Signif correction of prior full 05 Quarterly review assessment 06 Discharged; return not anticipated 07 Discharged; return anticipated 08 Discharged; prior to initial assessment 09 Re-entry 10 Signif correction of prior quarterly	
AA8B	55 1 \$CASSES	3	C ID; codes for assessments required	
		12,107 1,517 550 212 104 154 131 1,107	Missing 1 Medicare 5 day assessment 2 Medicare 30 day assessment 3 Medicare 60 day assessment 4 Medicare 90 day assessment 5 Medicare readmission/return assessment 6 Other state required assessment 7 Medicare 14 day assessment 8 Other Medicare required assessment	
AB1	56 10		N Residential; date of entry	

10/27/04	MEDICARE CURRENT BENEFICIARY SURVEY	RIC:	MD
MDS	Minimum Data Set	Page:	2
2002		Version:	1

2002						Version:
Variable	Col	Len	Format	Frequency ComQues#	FacQues#	Variable Type & Label
AB2	66	2	ADMITFRM			N Residential; admitted from
				8,134		. Missing
				1,615		-2 Item was left blank
				8		-1 Unable to determine
				918		1 Private home w/ no home health services
				190		2 Private home w/ home health services
				297		3 Board and care/assist living/group home
				646		4 Nursing home
				3,961		5 Acute care hospital
				81		6 Psychiatric hospital, MR/DD facility
				79		7 Rehabilitation hospital
				82		8 Other
AB3	68	2	YESNOALO			N Residential; lived alone
				8,301		. Missing
				1,739		-2 Item was left blank
				25		-1 Unable to determine
				3,409		0 No
				1,584		1 Yes
				953		2 In other facility
AB4	70	5				C Residential; zip code, prior primary res
AB5A	75	2	INDIC			N Residential; prior stay in nursing home
				7,937		. Missing
				1,736		-2 Item was left blank
				5		-1 Unable to determine
				5,178		0 Not indicated
				1,155		1 Indicated
AB5B	77	2	INDIC			N Residential; stay in other nursing home
				7,937		. Missing
				1,736		-2 Item was left blank
				5		-1 Unable to determine
				5,074		0 Not indicated
				1,259		1 Indicated
AB5C	79	2	INDIC			N Residential; other residential facility
				7,937		. Missing
				1,736		-2 Item was left blank
				5		-1 Unable to determine
				5,522		0 Not indicated
				811		1 Indicated
AB5D	81	2	INDIC			N Residential; MH/psychiatric setting
				7,937		. Missing
				1,736		-2 Item was left blank
				5		-1 Unable to determine
				6,199		0 Not indicated
				134		1 Indicated

10/27/04				MEDICARE	СПРВЕМТ В	FNFFTCTAP	v cı	IIDVEY	RIC:	MD
MDS 2002				Minimum D		ENEF ICIAK	1 5	OAVE	Page: Version:	3
Variable				Frequency				ariable Type & Label		
AB5E	83	2	INDIC				N	Residential; MR/DD setting		
				7,937				Missing		
				1,736			-2	Item was left blank		
				5				Unable to determine		
				6,327				Not indicated		
				6			1	Indicated		
AB5F	85	2	INDIC				N	Residential; none of above		
				7,939				Missing		
				1,736			-2	Item was left blank		
				5			-1	Unable to determine		
				2,973				Not indicated		
				3,358			1	Indicated		
AB6	87	21					С	Demo; lifetime occupation(s)	
AB7	108	2	HIEDUCAT				N	Demo; highest of education of	complete	
				8,306				Missing		
				1,735			-2	Item was left blank		
				173			-1	Unable to determine		
				151			1	No schooling		
				1,440			2	8th grade/less		
				892			3	9-11 grades		
				2,279			4	High school		
				185			5	Technical or trade school		
				504			6	Some college		
				214				Bachelors degree		
				132			8	Graduate degree		
AB8A	110	2	PRIMLANG				N	Demo; primary language		
				8,300				Missing		
				1,733			-2	Item was left blank		
				9			-1	Unable to determine		
				5,593			0	English		
				184			1	Spanish		
				45			2	French		
				147			3	Other		
AB8B	112	9					С	Demo; other primary language	e	
AB9	121	2	YESNO				N	Mental; indication of MR/MI,	/DD histor	У
				8,300				Missing		
				1,740			-2	Item was left blank		
				9			-1	Unable to determine		
				5,395			0	No		
				567			1	Yes		
			Note: Se	e MENTAL i	n Ric2F					
AB10A	123	2	INDIC				N	Mental; status, no MR/DD		

8,300 1,737 32 218

5,724

. Missing
-2 Item was left blank
-1 Unable to determine
0 Not indicated
1 Indicated

10/27/04 MDS 2002			MEDICARE CURRENT Minimum Data Set	SURVEY	RIC: MD Page: 4 Version: 1
Variable			Frequency ComQues	Variable Type & Label	
AB10B	125 2	INDIC		N Mental; status, downs syndr	ome
			8,300 7,454 34 222	. Missing -2 Item was left blank -1 Unable to determine 0 Not indicated 1 Indicated	
AB10C	127 2	INDIC		N Mental; status, autism	
			8,300 7,454 34 223 0	. Missing -2 Item was left blank -1 Unable to determine 0 Not indicated 1 Indicated	
AB10D	129 2	INDIC		N Mental; status, epilepsy	
			8,300 7,454 34 194 29	. Missing -2 Item was left blank -1 Unable to determine 0 Not indicated 1 Indicated	
AB10E	131 2	INDIC		N Mental; status, other organ	ic condition
			8,300 7,454 34 121 102	. Missing -2 Item was left blank -1 Unable to determine 0 Not indicated 1 Indicated	
AB10F	133 2	INDIC		N Mental; status, MR/DD w/ no	organic cond
			8,300 7,454 34 134 89	. Missing -2 Item was left blank -1 Unable to determine 0 Not indicated 1 Indicated	
AB11	135 10			N Date background information	completed
AC1A	145 2	INDIC		N Routine; event, stays up la	te at night
			8,299 1,878 65 3,874 1,895	. Missing -2 Item was left blank -1 Unable to determine 0 Not indicated 1 Indicated	
AC1B	147 2	INDIC		N Routine; event, naps regula	rly

8,299 1,878 64 2,355 3,415 . Missing
-2 Item was left blank
-1 Unable to determine
0 Not indicated
1 Indicated

10/27/04 MDS 2002				MEDICARE CURRENT Minimum Data Set	BENEFICIARY	SURVEY	RIC: MD Page: 5 Version: 1
				Frequency ComQues		Variable Type & Label	
AC1C	149	2	INDIC			N Routine; event, goes out 1+	days
				8,299 1,878 65 3,521 2,248	-	. Missing 2 Item was left blank 1 Unable to determine 0 Not indicated 1 Indicated	
AC1D	151	2	INDIC			N Routine; event, stays busy	
				8,299 1,878 65 3,194 2,575	-	. Missing -2 Item was left blank -1 Unable to determine 0 Not indicated 1 Indicated	
AC1E	153	2	INDIC			N Routine; event, most of tim	e spent alone
				8,299 1,868 65 3,558 2,221	-	. Missing 2 Item was left blank 1 Unable to determine 0 Not indicated 1 Indicated	
AC1F	155	2	INDIC			N Routine; event, moves indep	endent indoor
				8,299 1,868 65 2,088 3,691	-	. Missing 2 Item was left blank 1 Unable to determine 0 Not indicated 1 Indicated	
AC1G	157	2	INDIC			N Routine; event, use of toba	cco products
				8,299 1,868 65 5,338 441	-	. Missing 2 Item was left blank 1 Unable to determine 0 Not indicated 1 Indicated	
AC1H	159	2	INDIC			N Routine; event, none of abo	ve
				8,301 1,866 64 5,373 407		. Missing -2 Item was left blank -1 Unable to determine 0 Not indicated 1 Indicated	
AC1I	161	2	INDIC			N Routine; eating, distinct f	ood pref
				8,299 1,868 64 4.810		. Missing -2 Item was left blank -1 Unable to determine 0 Not indicated	

0 Not indicated 1 Indicated

10/27/04 MDS 2002				MEDICARE CURRENT BENEFIC Minimum Data Set	RIC: M Page: 6 Version: 1
Variable				Frequency ComQues# FacQu	es# Variable Type & Label
AC1J	163	2	INDIC		N Routine; eating, eats between meals
				8,299	. Missing
				1,868	-2 Item was left blank
				64	-1 Unable to determine
				4,100	0 Not indicated
				1,680	1 Indicated
AC1K	165	2	INDIC		N Routine; eating, use of alcoholic bev
				8,299	. Missing
				1,868	-2 Item was left blank
				64	-1 Unable to determine
				5,519	0 Not indicated
				261	1 Indicated
AC1L	167	2	INDIC		N Routine; eating, none of above
				8,301	. Missing
				1,866	-2 Item was left blank
				64	-1 Unable to determine
				2,349	0 Not indicated
				3,431	1 Indicated
AC1M	AC1M 169 2	INDIC		N Routine; ADL, bedclothes most of day	
				8,299	. Missing
				1,868	-2 Item was left blank
				64	-1 Unable to determine
				5,242	0 Not indicated
				538	1 Indicated
AC1N	171	2	INDIC		N Routine; ADL, wakens to toilet
				8,299	. Missing
				1,868	-2 Item was left blank
				65	-1 Unable to determine
				3,071	0 Not indicated
				2,708	1 Indicated
AC10	173	2	INDIC		N Routine; ADL, irregular bowel movement
				8,299	. Missing
				1,868	-2 Item was left blank
				65	-1 Unable to determine
				4,886 893	0 Not indicated 1 Indicated
				0,5	I indicated
AC1P	175	2	INDIC		N Routine; ADL, showers for bathing
				8,299	. Missing
				1,868	-2 Item was left blank
				64	-1 Unable to determine
				2.618	0 Not indicated

2,618 3,162

0 Not indicated 1 Indicated

10/27/04 MDS 2002		MEDICARE CURRENT BENEFICIA Minimum Data Set	RY SURVEY RIC: MD Page: 7 Version: 1
Variable		Frequency ComQues# FacQues	
AC1Q	177 2 INDIC		N Routine; ADL, bathing in PM
		8,299	. Missing
		1,868	-2 Item was left blank
		65	-1 Unable to determine
		5,201	0 Not indicated
		578	1 Indicated
AC1R	179 2 INDIC		N Routine; ADL, none of above
		8,301	. Missing
		1,866	-2 Item was left blank
		64	-1 Unable to determine
		4,524	0 Not indicated
		1,256	1 Indicated
AC1S	181 2 INDIC		N Routine; involve, daily contact family
		8,299	. Missing
		1,868	-2 Item was left blank
		64	-1 Unable to determine
		1,668	0 Not indicated
		4,112	1 Indicated
AC1T	183 2 INDIC		N Routine; involve, attends church
		8,299	. Missing
		1,868	-2 Item was left blank
		65	-1 Unable to determine
		3,963	0 Not indicated
		1,816	1 Indicated
AC1U	185 2 INDIC		N Routine; involve, strength in faith
		8,299	. Missing
		1,868	-2 Item was left blank
		64	-1 Unable to determine
		3,128	0 Not indicated
		2,652	1 Indicated
AC1V	187 2 INDIC		N Routine; involve, animal companion
		8,299	. Missing
		1,868	-2 Item was left blank
		65	-1 Unable to determine
		5,209	0 Not indicated
		570	1 Indicated
AC1W	189 2 INDIC		N Routine; involve, group activities
		8,299	. Missing
		1,868	-2 Item was left blank
		65	-1 Unable to determine
		4,457	0 Not indicated

0 Not indicated 1 Indicated

1,868 65 4,457 1,322

MDS 2002				Minimum Data S	I SURVEI	Page: Version:	8 1
Variable					Variable Type & Label		
AC1X	191	2	INDIC		N Routine; involve, none	e of above	
				8,301 1,866 64 4,855 925	. Missing -2 Item was left blank -1 Unable to determine 0 Not indicated 1 Indicated		
AC1Y	193	2	INDIC		N Routine; unknown rout	ines	
				8,299 1,743 5,776 193	. Missing -2 Item was left blank 0 Not indicated 1 Indicated		
A2	195	5			C Background; room number	er	
A3A	200	10			N Background; assessmen	t reference date	
A4B	210	2			N Background; original	or copy number	
A4A	212	10			N Background; date of re	eentry	
A5	222	2	MARITAL		N Background; marital s	tatus	
				9,042 1 6 814 1,649 3,914 117 468	. Missing -3 Does not apply to this -1 Unable to determine 1 Never married 2 Married 3 Widowed 4 Separated 5 Divorced	s assessment	
A6	224	12			C Background; medical re	ecord number	
A7A	236	2	INDIC		N Payment; Medicaid per	diem	
				9,967 1 1 3,592 2,450	. Missing -3 Does not apply to this -1 Unable to determine 0 Not indicated 1 Indicated	s assessment	
A7B	238	2	INDIC		N Payment; Medicare per	diem	
				9,967 1 3,578 2,465	. Missing -3 Does not apply to this 0 Not indicated 1 Indicated		
A7C	240	2	INDIC		N Payment; Medicare and	illary part A	
				9,967 1 1 4,522 1,520	. Missing -3 Does not apply to this -1 Unable to determine 0 Not indicated 1 Indicated	s assessment	

RIC:

MD

10/27/04 MDS 2002				MEDICARE CURRENT BENEFICIA Minimum Data Set	RY SURVEY	RIC: MD Page: 9 Version: 1
Variable	Col	Len	Format	Frequency ComQues# FacQues	# Variable Type & Label	
A7D	242	2	INDIC		N Payment; Medicare ancillary	part B
				9,967 1 5,411 632	. Missing -3 Does not apply to this asse 0 Not indicated 1 Indicated	ssment
A7E	244	2	INDIC		N Payment; CHAMPUS per diem	
				9,967 1 6,039 4	. Missing -3 Does not apply to this asse 0 Not indicated 1 Indicated	ssment
A7F	246	2	INDIC		N Payment; VA per diem	
				9,967 1 6,030 13	. Missing -3 Does not apply to this asse 0 Not indicated 1 Indicated	ssment
A7G	248	2	INDIC		N Payment; self/family pays f	ull per diem
				9,967 1 5,228 815	. Missing -3 Does not apply to this asse 0 Not indicated 1 Indicated	ssment
А7Н	250	2	INDIC		N Payment; Mcaid res liab/Mca	re co-payment
				9,967 1 1 5,241 801	. Missing -3 Does not apply to this asse -1 Unable to determine 0 Not indicated 1 Indicated	ssment
A7I	252	2	INDIC		N Payment; private insurance	per diem
				9,967 1 5,351 692	. Missing -3 Does not apply to this asse 0 Not indicated 1 Indicated	ssment
A7J	254	2	INDIC		N Payment; other per diem	
				9,967 1 5,932 111	. Missing -3 Does not apply to this asse 0 Not indicated 1 Indicated	ssment
A9A	256	2	INDIC		N Decisions; legal guardian	
				9,967 1 1 5,711 331	. Missing -3 Does not apply to this asse -1 Unable to determine 0 Not indicated 1 Indicated	ssment

10/27/04 MDS 2002				MEDICARE CURRENT BENEFIC Minimum Data Set	CIARY SURVEY	RIC: MD Page: 10 Version: 1
Variable	Col	Len	Format	Frequency ComQues# FacQu	es# Variable Type & Label	
A9B	258	2	INDIC		N Decisions; other legal ove	rsight
				9,967 1 1 5,862 180	. Missing -3 Does not apply to this ass -1 Unable to determine 0 Not indicated 1 Indicated	essment
A9C	260	2	INDIC		N Decisions; dur power attor	ney/health
				9,967 1 1 4,211 1,831	. Missing -3 Does not apply to this ass -1 Unable to determine 0 Not indicated 1 Indicated	essment
A9D	262	2	INDIC		N Decisions; dur power attor	ney/financial
				9,967 1 1 4,733 1,309	. Missing -3 Does not apply to this ass -1 Unable to determine 0 Not indicated 1 Indicated	essment
A9E	264	2	INDIC		N Decisions; family member r	esponsible
				9,967 1 1 2,139 3,903	. Missing -3 Does not apply to this ass -1 Unable to determine 0 Not indicated 1 Indicated	essment
A9F	266	2	INDIC		N Decisions; patient respons	ible for self
				9,967 1 1 4,078 1,964	. Missing -3 Does not apply to this ass -1 Unable to determine 0 Not indicated 1 Indicated	essment
A9G	268	2	INDIC		N Decisions; none of the abo	ve
				9,977 1 5,802 231	. Missing -1 Unable to determine 0 Not indicated 1 Indicated	
A10A	270	2	INDIC		N Adv directives; living wil	1
				9,967 1 1 4,859 1,183	. Missing -3 Does not apply to this ass -1 Unable to determine 0 Not indicated 1 Indicated	essment

Note: See ADLIVWIL in Ric2F

10/27/04 MDS 2002				MEDICARE Minimum D		ENEFICIARY	SURVEY	RIC: Page: Version:	MD 11 1
				Frequency			Variable Type & Label		
A10B	272	2	INDIC				N Adv directives; do not r	esuscitate	
				9,048 1 1 3,732 3,229		-	. Missing -3 Does not apply to this a -1 Unable to determine 0 Not indicated 1 Indicated	ssessment	
				e ADDNRES :	in Ric2F				
A10C	274	2	INDIC	9,048 1 1 6,788 173		-	N Adv directives; do not h . Missing -3 Does not apply to this a -1 Unable to determine 0 Not indicated 1 Indicated		
			Note: Se	e ADDNHOSP	in Ric2F				
A10D	276	2	INDIC				N Adv directives; organ do	nation	
				9,967 1 1 6,030 12			. Missing -3 Does not apply to this a -1 Unable to determine 0 Not indicated 1 Indicated	ssessment	
A10E	278	2	INDIC				N Adv directives; autopsy	request	
				9,967 1 1 6,038 4			. Missing -3 Does not apply to this a -1 Unable to determine 0 Not indicated 1 Indicated	ssessment	
A10F	280	2	INDIC				N Adv directives; feeding	restrict	
				9,967 1 1 5,527 515			. Missing -3 Does not apply to this a -1 Unable to determine 0 Not indicated 1 Indicated	ssessment	
A10G	282	2	INDIC				N Adv directives; medicati	on restrict	
				9,967 1 1 5,940 102			. Missing -3 Does not apply to this a -1 Unable to determine 0 Not indicated 1 Indicated	ssessment	
A10H	284	2	INDIC				N Adv directives; other tr	eatment restr	ict
				9,967 1 1 5,692 350			. Missing -3 Does not apply to this a -1 Unable to determine 0 Not indicated 1 Indicated	ssessment	

10/27/04 MDS 2002			MEDICARE (BENEFICIAR	r s	URVEY	RIC: Page: Version:	MD 12 1
Variable		n Format				V	ariable Type & Label		
A10I	286 2	INDIC				N	Adv directives; none of abov	ve	
			9,977				Missing		
			2 407				Unable to determine		
			3,407 2,626				Not indicated Indicated		
			2,020			_	indicated		
В1	288 2	YESNO				N	Cognitive; comatose		
			3,688				Missing		
			2				Unable to determine		
			12,285				No		
			36			Τ	Yes		
		Note: See	e COMATOSE	in Ric2	2F				
B2A	290 2	MEMORY				N	Cognitive; short-term memory	y OK	
			3,687				Missing		
			36				Item was left blank		
			8				Unable to determine		
			3,455				Memory ok		
			8,825				Memory problem		
		Note: See	e CSMEMST :	in Ric2F	,				
B2B	292 2	MEMORY					Cognitive; long-term memory	OK	
			3,687				Missing		
			36				Item was left blank		
			8 5,455				Unable to determine		
			6,825				Memory OK Memory problem		
			0,023			_	remer, problem		
			e CSMEMLT :	in Ric2F	,				
вза	294 2	INDIC				N	Cognitive; recall; current s	season	
			5,871				Missing		
			2				Does not apply to this asses	ssment	
			13 3				Item was left blank Unable to determine		
			5,711				Not indicated		
			4,411				Indicated		
		Note: See	e CSCURSEA	in Ric2	?F				
взв	296 2	INDIC				N	Cognitive; recall; location	of own ro	Om
202	2,0 2	11.010	5,871					-1 0WII 10	
			5,8/1				Missing Does not apply to this asses	zamen+	
			13				Item was left blank	35111C111C	
			2				Unable to determine		
			4,545				Not indicated		
			5,578				Indicated		

Note: See CSLOCROM in Ric2F

10/27/04 MDS 2002				MEDICARE (ENEFICIARY	st	URVEY	RIC: Page: Version:	MD 13
Variable				Frequency			Va	ariable Type & Label		
в3С			INDIC				N	Cognitive; recall; staff na	mes/faces	
			Note: So	5,871 2 13 3 3,727 6,395		- - -	-3 -2 -1 0	Missing Does not apply to this asse Item was left blank Unable to determine Not indicated Indicated	ssment	
B3D	300	2	INDIC	e CSNAMFAC	III RICZF		NT	Cognitive: recall: lives in	nurging h	ome
עכם	300	Z		5,864 8 13 2 4,185 5,939		-	-3 -2 -1	Cognitive; recall; lives in Missing Does not apply to this asse Item was left blank Unable to determine Not indicated Indicated		Oille
B3E	302	2	INDIC				N	Cognitive; recall; none of	the above	
				5,874 8 13 2 7,514 2,600		-	-3 -2 -1 0	Missing Does not apply to this asse Item was left blank Unable to determine Not indicated Indicated	ssment	
В4	304	2	COGNITIV				N	Cognitive; daily decision m	aking skil	ls
				3,687 36 2 2,478 2,556 4,600 2,652			-2 -1 0 1 2	Missing Item was left blank Unable to determine Independent Modified independence Moderately impaired Severely impaired		
			Note: Se	e CSDECIS :	in Ric2F					
B5A	306	2	COGNITIV	3,687 36 1 9,710 2,460 117 0			-2 -1 0 1	Cognitive; delirium, easily Missing Item was left blank Unable to determine Independent Modified independence Moderately impaired Severely impaired	distracte	d
B5B	308	2	COGNITIV	3,687 36 2 10,247 1,916 123 0			-2 -1 0 1	Cognitive; delirium, altere Missing Item was left blank Unable to determine Independent Modified independence Moderately impaired Severely impaired	d percepti	on

	3,687 36 2 10,036 2,160 90	N Cognitive; delirium, disorganized speech Missing Item was left blank Inable to determine Independent Modified independence Moderately impaired Severely impaired N Cognitive; delirium, restlessness
B5D 312 2 C B5E 314 2 C	3,687 36 2 10,036 2,160 90 0 COGNITIV 3,687 36	. Missing -2 Item was left blank -1 Unable to determine 0 Independent 1 Modified independence 2 Moderately impaired 3 Severely impaired
B5E 314 2 C	36 2 10,036 2,160 90 0 COGNITIV 3,687 36	-2 Item was left blank -1 Unable to determine 0 Independent 1 Modified independence 2 Moderately impaired 3 Severely impaired
B5E 314 2 C	2 10,036 2,160 90 0 COGNITIV 3,687 36	-1 Unable to determine0 Independent1 Modified independence2 Moderately impaired3 Severely impaired
B5E 314 2 C	10,036 2,160 90 0 COGNITIV 3,687 36	<pre>0 Independent 1 Modified independence 2 Moderately impaired 3 Severely impaired</pre>
B5E 314 2 C	2,160 90 0 COGNITIV 3,687 36	<pre>1 Modified independence 2 Moderately impaired 3 Severely impaired</pre>
B5E 314 2 C	90 0 COGNITIV 3,687 36	2 Moderately impaired 3 Severely impaired
B5E 314 2 C	0 COGNITIV 3,687 36	3 Severely impaired
B5E 314 2 C	COGNITIV 3,687 36	
B5E 314 2 C	3,687 36	N Cognitive; delirium, restlessness
B5F 316 2 C	36	
B5F 316 2 C		. Missing
B5F 316 2 C	1	-2 Item was left blank
B5F 316 2 C		-1 Unable to determine
B5F 316 2 C	10,164	0 Independent
B5F 316 2 C	1,967 156	1 Modified independence 2 Moderately impaired
B5F 316 2 C	0	3 Severely impaired
	COGNITIV	N Cognitive; delirium, lethargy
	3,687	. Missing
	36	-2 Item was left blank
	2	-1 Unable to determine
	11,056	0 Independent
	1,112	1 Modified independence
	118	2 Moderately impaired
	0	3 Severely impaired
B6 318 2 C	COGNITIV	N Cognitive; delirium, varied function
B6 318 2 C	3,687	. Missing
B6 318 2 C	36	-2 Item was left blank
B6 318 2 C	2	-1 Unable to determine
B6 318 2 C	9,385	0 Independent
B6 318 2 C	2,748	1 Modified independence
B6 318 2 C	153 0	2 Moderately impaired 3 Severely impaired
	CHANGE	N Cognitive; change in last 90 days
	9,960	. Missing
	7	-3 Does not apply to this assessment
	11	-2 Item was left blank
	4	-1 Unable to determine
	5,304	0 No change
	148	1 Improved
	577	2 Deteriorated
C1 320 2 H	HEAR	N Comm; hearing ability
	9,967	. Missing
	1	-3 Does not apply to this assessment
		-2 Item was left blank
	9	-1 Unable to determine
	2	0 Hears adequately
	2 4,063	1 Minimal difficulty
	2	2 Hears in special situations only

Note: See HCHECOND in Ric2F

10/27/04 MDS 2002				MEDICARE (BENEFICIARY	r s	URVEY	RIC: Page: Version:	MD 15
Variable						s# FacQues#	Va 	ariable Type & Label		
C2A	322	2	INDIC				N	Comm; hearing aid, present	and used	
				9,967				Missing		
				1 9				Does not apply to this asset Item was left blank	essment	
				1				Unable to determine		
				5,469				Not indicated		
				564			1	Indicated		
			Note: Se	e HCHEAID	in Ric2E	7				
C2B	324	2	INDIC				N	Comm; hearing aid, present	and not use	ed
				9,967				Missing		
				1				Does not apply to this asse	essment	
				9				Item was left blank		
				1 5,881				Unable to determine Not indicated		
				152				Indicated		
C2C	326	2	INDIC				N	Comm; other receptive used		
				9,967				Missing		
				1			-3	Does not apply to this asse	essment	
				9				Item was left blank		
				1				Unable to determine		
				5,970 63				Not indicated Indicated		
				03			_	Indicated		
C2D	328	2	INDIC				N	Comm; none of above comm me	ethods used	
				9,977				Missing		
				9			-2	Item was left blank		
				1				Unable to determine		
				772				Not indicated		
				5,252			1	Indicated		
C3A	330	2	INDIC				N	Comm; modes, speech		
				9,967				Missing		
				1				Does not apply to this asse		
				9				Item was left blank		
				1				Unable to determine Not indicated		
				410 5,623				Indicated		
СЗВ	332	2	INDIC				N	Comm; modes, writing message	ges to clar:	ify
				9,967			_	Missing		
				1				Does not apply to this asse	essment	
				9				Item was left blank		
				1				Unable to determine		
				5,966				Not indicated		
				67			Τ.	Indicated		

67

1 Indicated

10/27/04 MDS 2002				MEDICARE (ENEFICIARY	st.	JRVEY	RIC: Page: Version:	MD 16
Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Va	riable Type & Label		
C3C	334	2	INDIC				N	Comm; modes, ASL or braille		
				9,967 1 9 1 6,002 31			-3 -2 -1 0	Missing Does not apply to this asses Item was left blank Unable to determine Not indicated Indicated	ssment	
C3D	336	2	INDIC				N	Comm; modes, signs, gestures	s, or soun	ds
				9,967 1 9 1 4,943 1,090			-3 -2 -1 0	Missing Does not apply to this asses Item was left blank Unable to determine Not indicated Indicated	ssment	
C3E	338	2	INDIC				N	Comm; modes, communication h	ooard	
				9,967 1 9 1 5,981 52			-3 -2 -1 0	Missing Does not apply to this asses Item was left blank Unable to determine Not indicated Indicated	ssment	
C3F	340	2	INDIC				N	Comm; modes, other		
				9,967 1 9 1 6,001 32			-3 -2 -1 0	Missing Does not apply to this asses Item was left blank Unable to determine Not indicated Indicated	ssment	
C3G	342	2	INDIC				N	Comm; modes, none of above		
				9,977 9 1 5,875 149			-2 -1 0	Missing Item was left blank Unable to determine Not indicated Indicated		
C4	344	2	UNDERSTO				N	Comm; ability to make self u	understood	
				3,687 36 7 6,226 2,728 1,908 1,419			-2 -1 0 1	Missing Item was left blank Unable to determine Understood Usually understood Sometimes understood Rarely/Never understood		

Note: See HCUNCOND in Ric2F

10/27/04 MDS 2002			MEDICARE Minimum D		ENEFICIARY	SURVEY	RIC: Page: Version:	MD 17 1
Variable			Frequency			Variable Type & Label		
C5	346 2	CLEAR				N Comm, speech clarity		
			9,967 1 10 1 4,583 1,129 320			. Missing -3 Does not apply to this asse -2 Item was left blank -1 Unable to determine 0 clear speech 1 unclear speech 2 no speech	essment	
C6	348 2	UNDERSTA	7			N Comm; ability to understand	d others	
			3,687 36 14 5,592 3,202 2,445 1,035			. Missing -2 Item was left blank -1 Unable to determine 0 Understands 1 Usually understands 2 Sometimes understands 3 Rarely/Never understands		
		Note: Se	e HCUNDOTH	in Ric2F				
C7	350 2	CHANGE	9,967 1 10 3 5,507 127 396			N Comm; change in last 90 day . Missing -3 Does not apply to this asse -2 Item was left blank -1 Unable to determine 0 No change 1 Improved 2 Deteriorated		
D1	352 2	ADEQUATE	9,072 1 14 4,389 1,385 491 497 148			N Vision . Missing -3 Does not apply to this asse2 Item was left blank -1 Unable to determine 0 Adequate 1 Impaired 2 Moderately impaired 3 Highly impaired 4 Severely impaired	essment	
		Note: Se	e VISION i	n Ric2F				
D2A	354 2	INDIC	9,972 1 9 7 5,843 179			N Vision; limitation, side violation, side violation. Missing -3 Does not apply to this associated 1 Inable to determine O Not indicated 1 Indicated		ems

10/27/04 MDS 2002		MEDICARE CURRENT BENEFICIAL Minimum Data Set	RY SURVEY	RIC: MD Page: 18 Version: 1
Variable		Frequency ComQues# FacQues#		
D2B	356 2 INDIC		N Vision; limitation, halos/r	ings/flashes
		9,972 1 9 7 6,005 17	. Missing -3 Does not apply to this asse -2 Item was left blank -1 Unable to determine 0 Not indicated 1 Indicated	ssment:
D2C	358 2 INDIC	9,982 9	N Vision; limitation, none of . Missing -2 Item was left blank	above
		7 196 5,817	-1 Unable to determine 0 Not indicated 1 Indicated	
D3	360 2 YESNO Note: S	9,972 1 10 2 2,013 4,013	N Vision; corrective eyewear, . Missing -3 Does not apply to this asse2 Item was left blank -1 Unable to determine 0 No 1 Yes	
ElA	362 2 INDICTE	3,687 36 3 11,759 426 100	N Mood; negative statements . Missing -2 Item was left blank -1 Unable to determine 0 Not exhibited in last 30 da 1 Exhibited up to 5 days week 2 Exhibited 6 to 7 days week	
E1B	364 2 INDICTE	3,687 36 3 11,508 520 257	N Mood; repetitive questions . Missing -2 Item was left blank -1 Unable to determine 0 Not exhibited in last 30 da 1 Exhibited up to 5 days week 2 Exhibited 6 to 7 days week	
E1C	366 2 INDICTH	3,687 36 3 11,463 560 262	N Mood; repetitive verbalizat . Missing -2 Item was left blank -1 Unable to determine 0 Not exhibited in last 30 da 1 Exhibited up to 5 days week 2 Exhibited 6 to 7 days week	ıys

10/27/04 MDS 2002		MEDICARE CURRENT BENEFICIARY SURVEY Minimum Data Set	RIC: MD Page: 19 Version: 1
Variable		Frequency ComQues# FacQues# Variable Type	& Label
E1D	368 2 INDICTH	N Mood; persis	stent anger w/ self or others
		1,358 1 Exhibited up	
E1E	370 2 INDICTH	N Mood; self o	leprecation
		164 1 Exhibited up	
ElF	372 2 INDICTH		Et blank etermine ed in last 30 days
E1G	374 2 INDICTH	92 2 Exhibited 6	o to 5 days week to 7 days week E terrible going to happen
		140 1 Exhibited up	
Е1Н	376 2 INDICTH	3,687 . Missing 36 -2 Item was lef 1 -1 Unable to de 11,322 0 Not exhibite 686 1 Exhibited up	
ElI	378 2 INDICTH	3,687 . Missing 36 -2 Item was lef 1 -1 Unable to de 10,860 0 Not exhibite 971 1 Exhibited up	

N Mood; unpleasant mood in AM

0 Not exhibited in last 30 days 1 Exhibited up to 5 days week 2 Exhibited 6 to 7 days week

-2 Item was left blank -1 Unable to determine

. Missing

E1J 380 2 INDICTH

3,687

38 1 11,706

464 115

10/27/04 MDS 2002				MEDICARE C	TURRENT BENEFICIARY	. st	JRVEY	RIC: Page: Version:	MD 20 1
Variable	Col	Len	Format	Frequency	ComQues# FacQues#	Va 	riable Type & Label		
E1K	382	2	INDICTH			N	Mood; insomnia/change in sl	eep patter	n
				3,687 38 1 11,626 577 82		-2 -1 0 1	Missing Item was left blank Unable to determine Not exhibited in last 30 da Exhibited up to 5 days week Exhibited 6 to 7 days week	_	
E1L	384	2	INDICTH			N	Mood; sad/worried facial ex	pressions	
				3,687 36 1 9,622 1,928 737		-2 -1 0 1	Missing Item was left blank Unable to determine Not exhibited in last 30 da Exhibited up to 5 days week Exhibited 6 to 7 days week	-	
E1M	386	2	INDICTH			N	Mood; crying/tearfulness		
				3,687 36 1 11,456 705 126		-2 -1 0 1	Missing Item was left blank Unable to determine Not exhibited in last 30 da Exhibited up to 5 days week Exhibited 6 to 7 days week	_	
E1N	388	2	INDICTH			N	Mood; repetitive physical m	ovements	
				3,687 36 1 10,830 902 555		-2 -1 0 1	Missing Item was left blank Unable to determine Not exhibited in last 30 da Exhibited up to 5 days week Exhibited 6 to 7 days week	_	
E10	390	2	INDICTH			N	Mood; withdrawal from activ	of intere	st
				3,687 36 6 11,511 499 272		-2 -1 0 1	Missing Item was left blank Unable to determine Not exhibited in last 30 da Exhibited up to 5 days week Exhibited 6 to 7 days week	_	
E1P	392	2	INDICTH			N	Mood; reduced social intera	ction	
				3,687 36 5 11,260 691 332		-2 -1 0 1	Missing Item was left blank Unable to determine Not exhibited in last 30 da Exhibited up to 5 days week Exhibited 6 to 7 days week		
E2	394	2	MODINDIC			N	Mood; persistence		

. Missing

-2 Item was left blank -1 Unable to determine

0 No mood indicators

1 Indicators present, easily altered 2 Indicators present, not easily altered

3,687

2,816 2,116

10/27/04 MDS 2002				MEDICARE (BENEFICIARY	s	URVEY	RIC: Page: Version:	MD 21 1
Variable	Col	Len	Format	Frequency	ComQues	# FacQues#	Va 	ariable Type & Label		
E3	396	2	CHANGE				N	Mood; change in last 90 day	rs	
				9,967				Missing		
				1				Does not apply to this asse	ssment	
				9				Item was left blank		
				5				Unable to determine		
				5,211				No change		
				276				Improved Deteriorated		
				542			2	Deteriorated		
E4AA	398	2	BEHAVA				N	Behavior; wandering frequen	су	
				3,687				Missing		
				36			-2	Item was left blank		
				2				Unable to determine		
				11,305				Behavior not exhibited		
				445				1 to 3 days		
				170 366				4 to 6 days Behavior exhibited daily		
				300			J	Beliavior exhibited daily		
			Note: See	e BSWANDER	in Ric2	F				
E4AB	400	2	BEHAVB				N	Behavior; wandering alterab	oility	
				3,687				Missing		
				36				Item was left blank		
				11 706				Unable to determine		a
				11,706 579				Behavior not present or eas Behavior not easily altered		a
E4BA	402	2	BEHAVA				N	Behavior; verbally abusive	frequency	
				3,687				Missing		
				36				Item was left blank		
				1				Unable to determine		
				11,156			0	Behavior not exhibited		
				836			1	1 to 3 days		
				209				4 to 6 days		
				86			3	Behavior exhibited daily		
			Note: See	e BSVERBAB	in Ric2	F				
E4BB	404	2	BEHAVB				N	Behavior; verbally abusive	alterabili	ty
				3,687				Missing		
				36			-2	Item was left blank		
				2				Unable to determine		
				11,649				Behavior not present or eas		d
				637			Τ	Behavior not easily altered	L	
E4CA	406	2	BEHAVA				N	Behavior; physical abusive	frequency	
				3,687				Missing		
				36				Item was left blank		
				1				Unable to determine		
				11,561				Behavior not exhibited		
				573				1 to 3 days		
				120 33				4 to 6 days Behavior exhibited daily		
				23			2	DOMESTIC CVITTATION CONTRA		

Note: See BSPHYSAB in Ric2F

10/27/04 MDS 2002				MEDICARE (BENEFICIARY	S	URVEY	RIC: Page: Version:	MD 22 1
Variable	Col	Len	Format	Frequency	ComQues	# FacQues#	Vā	ariable Type & Label		
E4CB	408	2	BEHAVB				N	Behavior; physical abusive	alterabili	ty
				3,687 36 3 11,851 434			-2 -1 0	Missing Item was left blank Unable to determine Behavior not present or eas Behavior not easily altered		d
E4DA	410	2	BEHAVA				N	Behavior; soc inappropriate	frequency	
				3,687 36 1 10,827 852 329 279			-2 -1 0 1 2	Missing Item was left blank Unable to determine Behavior not exhibited 1 to 3 days 4 to 6 days Behavior exhibited daily		
			Note: Se	e BSDISRPT	in Ric21	न				
E4DB	412	2	BEHAVB				N	Behavior; soc inappropriate	alterabil	ity
				3,687 36 3 11,345 940			-2 -1 0	Missing Item was left blank Unable to determine Behavior not present or eas Behavior not easily altered		d
E4EA	414	2	BEHAVA				N	Behavior; resists care frequency	uency	
				3,687 36 1 9,979 1,454 517 337			-2 -1 0 1	Missing Item was left blank Unable to determine Behavior not exhibited 1 to 3 days 4 to 6 days Behavior exhibited daily		
			Note: Se	e BSRESIST	in Ric21	न				
E4EB	416	2	BEHAVB				N	Behavior; resists care alter	rability	
				3,687 36 3 10,697 1,588			-2 -1 0 1	Missing Item was left blank Unable to determine Behavior not present or eas Behavior not easily altered	-	d
E5	418	2	CHANGE	9,967 1 10 3			-3 -2 -1	Behavior; change in last 90 Missing Does not apply to this asserted was left blank Unable to determine	_	
				5,416 212				No change Improved		

1 Improved 2 Deteriorated

212 402

10/27/04 MDS 2002				MEDICARE (BENEFICIARY	SURVEY		RIC: Page: Version:	MD 23
Variable						# FacQues#	Variable Type &	Label		
F1A	420	2	INDIC				N Social; at ea	se interacting	with other	rs
			Note: Sec	9,972 1 9 1 1,277 4,751			. Missing 3 Does not appl 2 Item was left 1 Unable to det 0 Not indicated 1 Indicated	ermine	sment	
F1B	422	2	INDIC				N Social; at ea	se in structure	d activit	ies
				9,972 1 9 1 3,417 2,611			. Missing 3 Does not appl 2 Item was left 1 Unable to det 0 Not indicated 1 Indicated	ermine	sment	
			Note: See	e PWSTRACT	in Ric2	F				
F1C	424	2	INDIC	9,972 1 9 1 3,451 2,577			. Missing	ermine		28
-1-	406	0		e PWSLFACT	in Ric2	F'				
F1D	426	2	INDIC	9,972 1 9 1 4,751 1,277			. Missing	ermine		
			Note: See	e PWGOALS	in Ric2F	•				
F1E	428	2	INDIC	9,972 1 9 1 5,326 702			. Missing	ermine		ΣΥ

Note: See PWFACLIF in Ric2F

10/27/04 MDS 2002		MEDICARE CURRENT BENEFI Minimum Data Set	CIARY SURVEY RIC: ME Page: 24 Version: 1	
Variable		mat Frequency ComQues# FacQ		
F1F	430 2 IND	DIC	N Social; accepts invitations group activ	
		9,972 1 9 1 5,040 988	. Missing -3 Does not apply to this assessment -2 Item was left blank -1 Unable to determine 0 Not indicated 1 Indicated	
	Not	e: See PWGRPACT in Ric2F		
F1G	432 2 IND	DIC	N Social; none of above	
		9,982 9 1 5,019 1,000	. Missing -2 Item was left blank -1 Unable to determine 0 Not indicated 1 Indicated	
F2A	434 2 IND	DIC	N Social; open conflict with staff	
		9,972 1 9 1 5,845 183	. Missing -3 Does not apply to this assessment -2 Item was left blank -1 Unable to determine 0 Not indicated 1 Indicated	
F2B	436 2 IND	DIC	N Social; unhappy with roommate	
		9,972 1 9 3 5,951 75	. Missing -3 Does not apply to this assessment -2 Item was left blank -1 Unable to determine 0 Not indicated 1 Indicated	
F2C	438 2 IND	DIC	N Social; unhappy with other residents	
		9,972 1 9 3 5,963 63	. Missing -3 Does not apply to this assessment -2 Item was left blank -1 Unable to determine 0 Not indicated 1 Indicated	
F2D	440 2 IND	DIC	N Social; open conflict w/ fam/friend	
		9,972 1 9 1 5,889	. Missing -3 Does not apply to this assessment -2 Item was left blank -1 Unable to determine 0 Not indicated 1 Indicated	

1 Indicated

10/27/04 MDS 2002				MEDICARE (BENEFICIARY	នា	URVEY	RIC: Page: Version:	MD 25
Variable				Frequency			Va	ariable Type & Label		
F2E	442	2	INDIC				N	Social; absence of contact w	// fam/frie	end
				9,972 1 9 1 5,871 157			-3 -2 -1 0	Missing Does not apply to this asses Item was left blank Unable to determine Not indicated Indicated	ssment	
			Note: See	e PWNOFC ir	n Ric2F					
F2F	444	2	INDIC				N	Social; recent loss of close	e fam/frier	nd
				9,972 1 9 1 5,937 91			-3 -2 -1 0	Missing Does not apply to this asses Item was left blank Unable to determine Not indicated Indicated	ssment	
F2G	446	2	INDIC				N	Social; does not adjust to r	outine cha	ng
				9,972 1 9 1 5,491 537			-3 -2 -1 0	Missing Does not apply to this asses Item was left blank Unable to determine Not indicated Indicated	ssment	
F2H	448	2	INDIC				N	Social; none of above		
				9,982 9 1 953 5,066			-2 -1 0	Missing Item was left blank Unable to determine Not indicated Indicated		
F3A	450 2	2	INDIC				N	Social; strong identity in p	ast role	
				9,972 1 9 2 5,351 676			-3 -2 -1 0	Missing Does not apply to this asses Item was left blank Unable to determine Not indicated Indicated	ssment	
F3B	452	2	INDIC				N	Social; sadness/anger at los	s of role	
				9,972 1 9 2 5,743 284			-3 -2 -1 0	Missing Does not apply to this asses Item was left blank Unable to determine Not indicated Indicated	ssment	

1 Indicated

10/27/04 MDS 2002				MEDICARE (BENEFICIARY	st	JRVEY	RIC: Page: Version:	MD 26
Variable	Col	Len	Format	Frequency	ComQues	# FacQues#	Va	riable Type & Label		
F3C	454	2	INDIC				N	Social; routine diff than pr	rior patter	rn
				9,972 1 9 2 5,628 399			-3 -2 -1 0	Missing Does not apply to this asses Item was left blank Unable to determine Not indicated Indicated	ssment	
F3D	456	2	INDIC				N	Social; none of above		
				9,982 9 2 981 5,037			-2 -1 0	Missing Item was left blank Unable to determine Not indicated Indicated		
G1AA	458	2	ADLA				N	ADL; bed mobility, self-perf	orm	
				3,688 1 3,949 824 2,264 2,944 2,334			-1 0 1 2 3 4	Missing Unable to determine Independent Supervision Limited assistance Extensive assistance Total dependence Activity did not occur		
G1AB	460	2	ADLB				N	ADL; bed mobility, supported	l	
				5,899 2 1 3,023 651 4,774 1,654			-3 -1 0 1 2	Missing Does not apply to this asses Unable to determine No setup or physical help fr Setup help only One person physical assist Two+ persons physical assist Activity did not occur	om staff	
G1BA	462	2	ADLA				N	ADL; transfer, self-perform		
				3,687 1 2,573 796 2,543 3,170 3,169			-1 0 1 2 3 4	Missing Unable to determine Independent Supervision Limited assistance Extensive assistance Total dependence Activity did not occur		
			Note: Se	e PFTRNSFR	in Ric2	F				
G1BB	464	2	ADLB				N	ADL; transfer, supported		
				5,899 2 1,957 501 4,733 2,847			-3 -1 0 1 2	Missing Does not apply to this asses Unable to determine No setup or physical help fr Setup help only One person physical assist Two+ persons physical assist Activity did not occur	rom staff	

10/27/04 MDS 2002		MEDICARE CURRENT BENEFICIAR Minimum Data Set	Y SURVEY	RIC: MD Page: 27 Version: 1
Variable		Frequency ComQues# FacQues#	Variable Type & Label	
G1CA	466 2 ADLA		N ADL; walk in room, self-per	form
		3,687 1 2,540 935 1,804 1,201 197 5,646	. Missing -1 Unable to determine 0 Independent 1 Supervision 2 Limited assistance 3 Extensive assistance 4 Total dependence 8 Activity did not occur	
G1CB	468 2 ADLB		N ADL; walk in room, supporte	:d
		5,899 2 1 1,977 597 2,549 390 4,596	. Missing -3 Does not apply to this asse- 1 Unable to determine 0 No setup or physical help f 1 Setup help only 2 One person physical assist 3 Two+ persons physical assis 8 Activity did not occur	rom staff
G1DA	470 2 ADLA	3,687 1 2,056 1,055 1,901 1,125 145 6,041	N ADL; walk in corridor, self . Missing -1 Unable to determine 0 Independent 1 Supervision 2 Limited assistance 3 Extensive assistance 4 Total dependence 8 Activity did not occur	-perform
G1DB	472 2 ADLB	5,899 2 1 1,689 610 2,501 335 4,974	N ADL; walk in corridor, suppose the suppose of the	essment From staff
Glea	474 2 ADLA	3,687 1 3,529 1,352 1,784 1,546 3,762 350	N ADL; locomotion on unit, set . Missing -1 Unable to determine 0 Independent 1 Supervision 2 Limited assistance 3 Extensive assistance 4 Total dependence 8 Activity did not occur	lf-perform

Note: See PFLOCOMO in Ric2F

10/27/04 MDS 2002				MEDICARE CURRENT BENE Minimum Data Set	RIC: MD Page: 28 Version: 1
				Frequency ComQues# Fa	cQues# Variable Type & Label
G1EB	476	2	ADLB		N ADL; locomotion on unit, supported
				5,899	. Missing
				2	-3 Does not apply to this assessment
				1	-1 Unable to determine
				2,657	0 No setup or physical help from staff
				1,021	1 Setup help only
				6,000	2 One person physical assist
				129	3 Two+ persons physical assist
				302	8 Activity did not occur
G1FA	478	2	ADLA		N ADL; locomotion off unit, self-perform
				3,687	. Missing
				1	-1 Unable to determine
				2,503	0 Independent
				1,382	1 Supervision
				1,620	2 Limited assistance
				1,552	3 Extensive assistance
				4,396	4 Total dependence
				870	8 Activity did not occur
G1FB	480	2	ADLB		N ADL; locomotion off unit, supported
				5,899	. Missing
				2	-3 Does not apply to this assessment
				1	-1 Unable to determine
				2,001	0 No setup or physical help from staff
				864	1 Setup help only
				6,386	2 One person physical assist
				116	3 Two+ persons physical assist
				742	8 Activity did not occur
G1GA	482	2	ADLA		N ADL; dressing, self-perform
				3,687	. Missing
				1	-1 Unable to determine
				1,105	0 Independent
				886	1 Supervision
				2,564	2 Limited assistance
				3,874	3 Extensive assistance
				3,709	4 Total dependence
				185	8 Activity did not occur
			Note: S	ee PFDRSSNG in Ric2F	
G1GB	484	2	ADLB		N ADL; dressing, supported
				5,899	. Missing
				2	-3 Does not apply to this assessment
				1	-1 Unable to determine
				772	O No setup or physical help from staff

0 No setup or physical help from staff 1 Setup help only

2 One person physical assist 3 Two+ persons physical assist 8 Activity did not occur

772 743

10/27/04 MDS 2002				MEDICARE Minimum D		BENEFICIARY	SURVEY	RIC: Page: Version:	MD 29 1
				Frequency			Variable Type & Label		
G1HA	486	2	ADLA				N ADL; eating, self-perform		
			Note: Se	3,687 1 5,214 2,597 1,209 869 2,420 14			. Missing -1 Unable to determine 0 Independent 1 Supervision 2 Limited assistance 3 Extensive assistance 4 Total dependence 8 Activity did not occur		
G1HB	488	2	ADLB				N ADL; eating, supported		
				5,899 2 1 1,588 4,777 3,713 17			. Missing -3 Does not apply to this as -1 Unable to determine 0 No setup or physical help 1 Setup help only 2 One person physical assis 3 Two+ persons physical ass 8 Activity did not occur	from staff	
GlIA	490	2	ADLA				N ADL; toilet use, self-per	form	
				3,687 1 1,874 730 2,065 3,054 4,436 164			. Missing -1 Unable to determine 0 Independent 1 Supervision 2 Limited assistance 3 Extensive assistance 4 Total dependence 8 Activity did not occur		
			Note: Se	e PFTOILET	in Ric2F	,			
G1IB	492	2	ADLB				N ADL; toilet use, supporte	Ė	
				5,899 2 1 1,417 512 6,577 1,486 117			. Missing -3 Does not apply to this as -1 Unable to determine 0 No setup or physical help 1 Setup help only 2 One person physical assis 3 Two+ persons physical ass 8 Activity did not occur	from staff	
G1JA	494	2	ADLA				N ADL; personal hygiene, se	lf-perform	
				3,687 1 1,263 1,147 2,482 3,174 4,254			. Missing -1 Unable to determine 0 Independent 1 Supervision 2 Limited assistance 3 Extensive assistance 4 Total dependence 8 Activity did not occur		

10/27/04 MDS 2002				MEDICARE Minimum D		BENEFICIARY	Y SI	URVEY	RIC: Page: Version:	MD 30 1
Variable						# FacQues#		ariable Type & Label		
G1JB	496	2	ADLB				N	ADL; personal hygiene, sup	ported	
				5,899				Missing		
				2				Does not apply to this ass	essment	
				1				Unable to determine		
				827				No setup or physical help	from staff	
				1,065 7,940				Setup help only One person physical assist		
				274				Two+ persons physical assist		
				3				Activity did not occur		
G2A	498	2	BATHING				N	ADL; bathing, self perform	l	
				3,687				Missing		
				1 223				Unable to determine Independent		
				729				Supervision		
				844				Phys help limited to trans	fer only	
				5,291			3	Phys help in part of bathi	ng activity	
				5,204				Total dependence		
				32			8	Activity did not occur		
			Note: Se	e PFBATHNG	in Ric2	?F				
G2B	500	2	ADLB				N	ADL; bathing, supported		
				9,967				Missing		
				2				Unable to determine		
				68 300				No setup or physical help Setup help only	irom staii	
				4,938				One person physical assist		
				714				Two+ persons physical assi		
				22			8	Activity did not occur		
G3A	502	2	BALANCE				N	ADL; balance while standing	g	
				5,870				Missing		
				2				Does not apply to this ass	essment	
				23				Unable to determine		
				992 1,215				Maintained position Unsteady		
				2,190				Partial physical support		
				5,719				Not able to attempt test		
G3B	504	2	BALANCE				N	ADL; balance while sitting	ī	
				5,870				Missing		
				2				Does not apply to this ass	essment	
				4 5,327				Unable to determine Maintained position		
				1,052				Unsteady		
				1,611				Partial physical support		
				2,145			3	Not able to attempt test		
G4AA	506	2	RANGE				N	ADL; neck, range of motion	ı	
				3,687				Missing		
				2				Unable to determine		
				11,094				No limitation		
				1 010				Limitation on one side Limitation on both sides		
				1,010			4	nimitation on both sides		

10/27/04 MDS 2002				MEDICARE (CURRENT BEN ata Set	EFICIARY	SU	JRVEY	RIC: Page: Version:	MD 31 1
								riable Type & Label		
G4AB	508	2	VOL				N	ADL; neck, voluntary motion	l	
				3,687				Missing		
				2				Unable to determine		
				11,188				No loss		
				982				Partial loss		
				152				Full loss		
				132			_	ruii 1055		
G4BA	510	2	RANGE				N	ADL; arm, range of motion		
				3,687				Missing		
				2				Unable to determine		
				8,486				No limitation		
				1,884				Limitation on one side		
				1,952				Limitation on both sides		
G4BB	512	2	VOL				N	ADL; arm, voluntary motion		
				3,687				Missing		
				2		_		Unable to determine		
				8,700				No loss		
				2,931				Partial loss		
				691				Full loss		
G4CA	514	2	RANGE				N	ADL; hand, range of motion		
				3,687				Missing		
				2,007				Unable to determine		
				9,291				No limitation		
				1,630				Limitation on one side		
				1,401			2	Limitation on both sides		
G4CB	516	2	VOL				N	ADL; hand, voluntary motion	L	
				3,687				Missing		
				2				Unable to determine		
				9,185				No loss		
				2,392				Partial loss		
				745				Full loss		
G4DA	518	2	RANGE				N	ADL; leg, range of motion		
				3,687				Missing		
				2				Unable to determine		
				7,196				No limitation		
				2 274				Limitation on one gide		

1 Limitation on one side 2 Limitation on both sides

. Missing
-1 Unable to determine

0 No loss

1 Partial loss 2 Full loss

N ADL; leg, voluntary motion

7,196 2,374 2,752

3,687

2 7,366

3,970 986

G4DB 520 2 VOL

10/27/04 MDS 2002				MEDICARE (ENEFICIARY	su	RVEY	RIC: Page: Version:	MD 32
				Frequency				riable Type & Label		
G4EA	522	2	RANGE				N	ADL; foot, range of motion		
				3,687				Missing		
				2		-	-1	Unable to determine		
				8,692				No limitation		
				1,573				Limitation on one side		
				2,057			2	Limitation on both sides		
G4EB	524	2	VOL				N	ADL; foot, voluntary motion		
				3,687				Missing		
				2				Unable to determine		
				8,595				No loss		
				2,713				Partial loss Full loss		
				1,014			2	rull loss		
G4FA	526	2	RANGE				N	ADL; other, range of motion		
				3,687				Missing		
				54		-	-1	Unable to determine		
				11,540				No limitation		
				233				Limitation on one side		
				497			2	Limitation on both sides		
G4FB	528	2	VOL				N	ADL; other, voluntary motion	ı	
				3,687				Missing		
				54		-		Unable to determine		
				11,502				No loss		
				632				Partial loss		
				136			2	Full loss		
G5A	530	2	INDIC				N	ADL; used cane		
				9,967				Missing		
				1		-	-3	Does not apply to this asses	sment	
				1		-	-1	Unable to determine		
				3,692				Not indicated		
				2,350			1	Indicated		
			Note: Se	e MLCANE ir	n Ric2F					
G5B	532	2	INDIC				N	ADL; wheeled self		
				9,048				Missing		
				1		-	-3	Does not apply to this asses	sment	
				1		-		Unable to determine		
				4,469				Not indicated		
				2,492			1	Indicated		
			Note: Se	e MLWHLSLF	in Ric2F					
G5C	534	2	INDIC				N	ADL; other person wheeled		
				9,967				Missing		
				1		-		Does not apply to this asses	sment	
				1				Unable to determine		
				2,144			0	Not indicated		
				3,898			1	Indicated		

Note: See MLWHLOTH in Ric2F

10/27/04 MDS 2002				MEDICARE Minimum D	BENEFICIARY	r si	URVEY	RIC: Page: Version:	MD 33
Variable				Frequency		Va	ariable Type & Label		
G5D	536	2	INDIC			N	ADL; wheelchair primary mod	le	
				9,967			Missing		
				1			Does not apply to this asse	ssment	
				1			Unable to determine		
				2,158 3,884			Not indicated Indicated		
				3,001		_	Indicated		
G5E	538	2	INDIC			N	ADL; none of above		
				9,977			Missing		
				1			Unable to determine Not indicated		
				5,225 808			Indicated		
G6A	540	2	INDIC			N	ADL; transfer, bedfast		
				3,687			Missing		
				2 11,701			Unable to determine Not indicated		
				621			Indicated		
G6B	542	2	INDIC				ADL; transfer, bed rails us	ed	
				3,687			Migging		
				2			Missing Unable to determine		
				6,127			Not indicated		
				6,195		1	Indicated		
G6C	544	2	INDIC			N	ADL; transfer, lifted manua	lly	
				9,964			Missing		
				2			Does not apply to this asse	ssment	
				1			Unable to determine		
				4,808			Not indicated		
				1,236		Т	Indicated		
G6D	546	2	INDIC			N	ADL; transfer, lifted mecha	nically	
				9,964			Missing		
				2			Does not apply to this asse	ssment	
				1 5,432			Unable to determine Not indicated		
				612			Indicated		
G6E	548	2	INDIC			N	ADL; transfer, transfer aid	l	
				9,964			Missing		
				2			Does not apply to this asse	ssment	
				1		-1	Unable to determine		
				4,379			Not indicated		
				1,665		1	Indicated		
G6F	550	2	INDIC			N	ADL; transfer, none of abov	re	
				5,586			Missing		
				2			Unable to determine		
				6,751			Not indicated		
				3,672		Τ	Indicated		

10/27/04 MDS 2002				MEDICARE (CURRENT BENEFICIARY ata Set	: នា	URVEY	RIC: Page: Version:	MD 34 1
Variable					ComQues# FacQues#	Vā	ariable Type & Label		
G7	552	2	YESNO			N	ADL; task segmentation		
				5,872			Missing		
				2			Does not apply to this asse	acament	
				1			Unable to determine	ESSILLETT	
				6,296			No		
				3,840			Yes		
				3,010		_	165		
G8A	554	2	INDIC			N	ADL; rehab potential, resid	dent believ	res
				9,967			Missing		
				1			Does not apply to this asse	essment	
				1			Unable to determine		
				4,386			Not indicated		
				1,656		1	Indicated		
G8B	556	2	INDIC			N	ADL; rehab potential, staff	believes	
				0.067			Mi main m		
				9,967			Missing		
				1			Does not apply to this asse	essment	
				1 010			Unable to determine		
				4,010			Not indicated		
				2,032		Τ.	Indicated		
G8C	558	2	INDIC			N	ADL; rehab potential, slow		
				9,967			Missing		
				1		-3	Does not apply to this asse	essment	
				1		-1	Unable to determine		
				5,259		0	Not indicated		
				783		1	Indicated		
G8D	560	2	INDIC			N	ADL; rehab potential, diff	in AM and	PM
				9,967			Missing		
				1			Does not apply to this asse	essment	
				1			Unable to determine		
				5,779			Not indicated		
				263			Indicated		
G8E	562	2	INDIC			N	ADL; rehab potential, none	of above	
				9,977			Missing		
				9,977			Unable to determine		
				2,614			Not indicated		
				2,014			Not indicated		

1 Indicated

. Missing

0 No change 1 Improved 2 Deteriorated

N ADL; change in last 90 days

-3 Does not apply to this assessment -1 Unable to determine

3,419

9,967

1 4 3,580

724 1,735

G9 564 2 CHANGE

10/27/04 MDS 2002				MEDICARE (Minimum Da		BENEFICIARY	SURVEY	RIC: Page: Version:	MD 35
Variable				Frequency			Variable Type & Label		
H1A	566	2 CON	NTINEN				N Continence; bowel		
		No.	hai (1999)	3,688 1 5,424 803 754 1,096 4,245		-	. Missing -1 Unable to determine 0 Continent 1 Usually continent 2 Occasionally incontinent 3 Frequently incontinent 4 Incontinent		
				CTBOWEC i	III RICZF				
н1в	568		NTINEN	3,688 1 4,218 886 970 1,936 4,312 CTBADDC i			N Continence; bladder . Missing -1 Unable to determine 0 Continent 1 Usually continent 2 Occasionally incontinent 3 Frequently incontinent 4 Incontinent		
н2А	570	2 INI	DIC	9,967 1 1,306 4,737		-	N Continence; bowel regular . Missing -1 Unable to determine 0 Not indicated 1 Indicated		
Н2В	572	2 INI	DIC	9,967 1 5,348 695			N Continence; bowel constipa . Missing -1 Unable to determine 0 Not indicated 1 Indicated	tion	
н2С	574	2 INI	DIC	5,872 2 1 9,843		-	N Continence; bowel diarrhea . Missing -3 Does not apply to this ass -1 Unable to determine 0 Not indicated 1 Indicated		
H2D		2 INI		3,687 1 12,281 42		-	N Continence; bowel fecal im . Missing -1 Unable to determine 0 Not indicated 1 Indicated		
H2E	J / 8	2 INI	DIC				N Continence; scheduled plan		

. Missing -1 Unable to determine 0 Not indicated 1 Indicated

5,586 1 5,325 5,099

10/27/04 MDS 2002				MEDICARE CURRENT Minimum Data Set	Y SURVEY	RIC: M Page: 36 Version: 1	
Variable				Frequency ComQue	Variable Type & Label		_
нза	580	2	INDIC		N Continence; none of a	bove	
				3,687 1 8,794 3,529	. Missing -1 Unable to determine 0 Not indicated 1 Indicated		
Н3В	582	2	INDIC		N Continence; bladder r	etaining plan	
				3,687 1 12,206 117	. Missing -1 Unable to determine 0 Not indicated 1 Indicated		
нзс	584	2	INDIC		N Continence; external	condom catheter	
				3,687 1 12,245 78	. Missing -1 Unable to determine 0 Not indicated 1 Indicated		
H3D	586	2	INDIC		N Continence; indwellin	g catheter	
				3,687 1 11,256 1,067	. Missing -1 Unable to determine 0 Not indicated 1 Indicated		
H3E	588	2	INDIC		N Continence; intermitt	ent catheter	
				9,964 2 1 6,006 38	. Missing -3 Does not apply to thi -1 Unable to determine 0 Not indicated 1 Indicated	s assessment	
H3F	590	2	INDIC		N Continence; did not u	se commode/urinal	
				9,967 1 5,330 713	. Missing -1 Unable to determine 0 Not indicated 1 Indicated		
H3G	592	2	INDIC		N Continence; pads/brie	fs used	
				9,967 1 2,343 3,700	. Missing -1 Unable to determine 0 Not indicated 1 Indicated		
нзн	594	2	INDIC		N Continence; enemas/ir	rigation	
				9,967 1 5,982 61	. Missing -1 Unable to determine 0 Not indicated 1 Indicated		

10/27/04 MDS 2002			MEDICARE Minimum D	CURRENT BENEFICIARY ata Set	SURVEY	RIC: Page: Version:	MD 37 1
Variable			Format Frequency		Variable Type & Label		
нзі	596	2	INDIC		N Continence; ostomy present		
			3,687		. Missing		
			1		-1 Unable to determine		
			12,002 321		0 Not indicated 1 Indicated		
нзј	598	2	INDIC		N Continence; none of above		
			5,586		. Missing		
			1		-1 Unable to determine		
			5,896		0 Not indicated		
			4,528		1 Indicated		
Н4	600	2	CHANGE		N Continence; change in last 9	90 days	
			9,967		. Missing		
			1		-3 Does not apply to this asses	ssment	
			5		-1 Unable to determine		
			5,109 248		0 No change 1 Improved		
			681		2 Deteriorated		
I1A	602	2	INDIC		N Diag; diabetes mellitus		
			5,889		. Missing		
			17		-3 Does not apply to this asses	ssment	
			23		-1 Unable to determine		
			7,588		0 Not indicated		
			2,494		1 Indicated		
			Note: See DIABMEL	in Ric2F			
I1B	604	2	INDIC		N Diag; hyperthyroidism		
			9,967		. Missing		
			1		-3 Does not apply to this asses	ssment	
			2		-1 Unable to determine		
			5,992 49		0 Not indicated 1 Indicated		
			Note: See HYPETHYR				
I1C	606	2	INDIC		N Diag; hypothyroidism		
			9,967 1	_	. Missing -3 Does not apply to this asses	rement	
			2		-1 Unable to determine	ssilleric	
			5,177		0 Not indicated		
			864		1 Indicated		
			Note: See HYPOTHYR	in Ric2F			
I1D	608	2	INDIC		N Diag; arteriosclerotic heart	disease	
			9,039		. Missing		
			1		-3 Does not apply to this asses	ssment	
			1		-1 Unable to determine		
			6,014		0 Not indicated		
			956		1 Indicated		

Note: See ASHD in Ric2F

10/27/04 MDS 2002				MEDICARE (BENEFICIARY	SURVEY	RIC: Page: Version:	MD 38 1
				Frequency			Variable Type & Label		
I1E	610	2	INDIC				N Diag; cardiac dysrhythmias		
				9,967 1 1 5,210 832			. Missing -3 Does not apply to this asso1 Unable to determine 0 Not indicated 1 Indicated	essment	
			Note: Se	e CARDDYSR	in Ric2	F			
I1F	612	2	INDIC				N Diag; congestive heart fail	lure	
				9,039 1 1 5,233 1,737			. Missing -3 Does not apply to this asso -1 Unable to determine 0 Not indicated 1 Indicated	essment	
			Note: Se	e HRTFAIL :	in Ric2F				
I1G	614	2	INDIC				N Diag; deep vein thrombosis		
				9,967 1 1 5,907 135			. Missing -3 Does not apply to this asso -1 Unable to determine 0 Not indicated 1 Indicated	essment	
			Note: Se	e VEINTHR :	in Ric2F				
I1H	616	2	INDIC	9,967 1 1 2,691 3,351			N Diag; hypertension . Missing -3 Does not apply to this asso- 1 Unable to determine 0 Not indicated 1 Indicated	essment	
			Note: Se	e HYPETENS	in Ric2	F			
III	618	2	INDIC				N Diag; hypotension		
				9,967 1 1 5,949 93			. Missing -3 Does not apply to this asso -1 Unable to determine 0 Not indicated 1 Indicated	essment	
			Note: Se	e HYPOTENS	in Ric2	F			
I1J	620	2	INDIC				N Diag; peripheral vascular	lisease	
				9,039 1 1 6,167 803			. Missing -3 Does not apply to this asso1 Unable to determine 0 Not indicated 1 Indicated	essment	

Note: See VASCULAR in Ric2F

10/27/04 MDS 2002				MEDICARE (BENEFICIARY	r st		RIC: Page: Version:	MD 39
Variable				Frequency			Va 	ariable Type & Label		
I1K	622	2	INDIC				N	Diag; other cardiovascular d	isease	
				9,967 1 1 4,913 1,129			-3 -1 0	Missing Does not apply to this asses Unable to determine Not indicated Indicated	sment	
			Note: See	e CARDIOV	in Ric2F					
I1L	624	2	INDIC				N	Diag; arthritis		
				9,967 1 1 4,201 1,841			-3 -1 0	Missing Does not apply to this asses Unable to determine Not indicated Indicated	sment	
			Note: See	e ARTHRIT	in Ric2F					
I1M	626	2	INDIC				N	Diag; hip fracture		
				5,870 2 24 9,374 741			-3 -1 0	Missing Does not apply to this asses Unable to determine Not indicated Indicated	sment	
			Note: See	e HIPFRACT	in Ric2	F				
I1N	628	2	INDIC				N	Diag; missing limb (e.g., am	putation)	
				9,967 1 1 5,900 142			-3 -1 0	Missing Does not apply to this asses Unable to determine Not indicated Indicated	sment	
			Note: See	e MISSLIMB	in Ric2	F				
110	630	2	INDIC				N	Diag; osteoporosis		
				9,967 1 1 5,046 996			-3 -1 0	Missing Does not apply to this asses Unable to determine Not indicated Indicated	sment	
			Note: See	e OSTEOP ir	n Ric2F					
I1P	632	2	INDIC				N	Diag; pathological bone frac	ture	
				9,967 1 1 5,992 50			-3 -1 0	Missing Does not apply to this asses Unable to determine Not indicated Indicated	sment	

Note: See BONEFRAC in Ric2F

10/27/04 MDS 2002				MEDICARE (BENEFICIARY	st.	JRVEY	RIC: Page: Version:	MD 40
Variable	Col	Len	Format	Frequency	ComQues	# FacQues#	Va	ariable Type & Label		
I1Q	634	2	INDIC				N	Diag; alzheimers disease		
			Nation Co.	9,967 1 2 5,118 923			-3 -1 0	Missing Does not apply to this asses Unable to determine Not indicated Indicated	sment	
T1D	626	0		e ALZHMR iı	1 KlCZF			Plantanharia		
I1R	636	2	INDIC					Diag; aphasia		
				5,870 2 25 9,509 605			-3 -1 0	Missing Does not apply to this asses Unable to determine Not indicated Indicated	sment	
			Note: See	e APHASIA :	in Ric2F	ı				
I1S	638	2	INDIC				N	Diag; cerebral palsy		
				5,870 2 25 9,997 117			-3 -1 0	Missing Does not apply to this asses Unable to determine Not indicated Indicated	sment	
			Note: See	e CERPALSY	in Ric2	F				
IlT	640	2	INDIC				N	Diag; cerebrovascular accide	nt (stroke	e)
			Note: See	5,870 2 25 7,798 2,316			-3 -1 0	Missing Does not apply to this asses Unable to determine Not indicated Indicated	sment	
I1U	642	2	INDIC				N	Diag; dementia other than al	zheimers	
				9,967 2 3,931 2,111			-1 0	Missing Unable to determine Not indicated Indicated		
			Note: See	e DEMENT in	n Ric2F					
I1V	644	2	INDIC				N	Diag; hemiplegia/hemiparesis	ı	
				5,870 2 25 9,032 1,082			-3 -1 0	Missing Does not apply to this asses Unable to determine Not indicated Indicated	sment	

Note: See HEMIPLPA in Ric2F

10/27/04 MDS 2002				MEDICARE (BENEFICIARY	SURVEY	RIC: Page: Version:	MD 41 1
Variable				Frequency			Variable Type & Label		
I1W	646	2	INDIC				N Diag; multiple sclerosis		
				5,870 2 25 10,067 47			. Missing -3 Does not apply to this as -1 Unable to determine 0 Not indicated 1 Indicated	sessment	
			Note: See	e SCLEROS :	in Ric2F				
I1X	648	2	INDIC				N Diag; paraplegia		
				9,039 1 2 6,926 43			. Missing -3 Does not apply to this as -1 Unable to determine 0 Not indicated 1 Indicated	sessment	
			Note: See	e PARAPLEG	in Ric2	F			
IlY	650	2	INDIC				N Diag; parkinsons disease		
				9,967 1 2 5,612 429			. Missing -3 Does not apply to this as -1 Unable to determine 0 Not indicated 1 Indicated	sessment	
			Note: See	e PARKNSON	in Ric2	F			
I1Z	652	2	INDIC	5,870 2 25 10,008 106			N Diag; quadriplegia . Missing -3 Does not apply to this as -1 Unable to determine 0 Not indicated 1 Indicated	sessment	
			Note: See	e QUADPLEG	in Ric2	F			
I1AA	654	2	INDIC				N Diag; seizure disorder		
				9,967 1 2 5,463 578			. Missing -3 Does not apply to this as -1 Unable to determine 0 Not indicated 1 Indicated	sessment	
			Note: See	e SEIZURE :	in Ric2F				
I1BB	656	2	INDIC				N Diag; transient ischemic	attack (TIA)	
				9,967 1 2 5,791 250			. Missing -3 Does not apply to this as -1 Unable to determine 0 Not indicated 1 Indicated	sessment	

Note: See TIA in Ric2F

10/27/04 MDS 2002				MEDICARE (ENEFICIARY	y su	RVEY	RIC: Page: Version:	MD 42 1
Variable				Frequency			Va	riable Type & Label		
I1CC	658	2	INDIC				N :	Diag; traumatic brain injury	7	
				9,967 1 2 5,986 55			-3 : -1 : 0 :	Missing Does not apply to this asses Unable to determine Not indicated Indicated	ssment	
			Note: See	e BRAININJ	in Ric2F					
I1DD	660	2	INDIC				N	Diag; anxiety disorder		
				9,967 1 1 5,363 679			-3 : -1 : 0 :	Missing Does not apply to this asses Unable to determine Not indicated Indicated	ssment	
			Note: See	e ANXIETY :	in Ric2F					
I1EE	662	2	INDIC				N :	Diag; depression		
				5,872 2 24 6,675 3,438			-3 : -1 : 0 :	Missing Does not apply to this asses Unable to determine Not indicated Indicated	ssment	
			Note: See	e DEPRESS :	in Ric2F					
Ilff	664	2	INDIC	5,872 2 24 9,946 167			-3 : -1 :	Diag; manic depression (bipo Missing Does not apply to this asses Unable to determine Not indicated Indicated		se)
			Note: See	e MANICDEP	in Ric2F					
I1GG	666	2	INDIC				N :	Diag; schizophrenia		
				9,039 1 1 6,723 247			-3 : -1 : 0 :	Missing Does not apply to this asses Unable to determine Not indicated Indicated	ssment	
			Note: See	e SCHIZOPH	in Ric2F					
11нн	668	2	INDIC				N I	Diag; asthma		
				9,039 1 3 6,793 175			-3 : -1 : 0 :	Missing Does not apply to this asses Unable to determine Not indicated Indicated	ssment	

Note: See ASTHMA in Ric2F

10/27/04 MDS 2002				MEDICARE (BENEFICIARY	SURVEY		RIC: Page: Version:	MD 43 1
Variable				Frequency			Variable	Type & Label		
IlII	670	2	INDIC				N Diag; e	emphysema/COPD		
				9,039 1 3 5,850 1,118				ot apply to this asses to determine dicated	sment	
			Note: See	e EMPCOPD i	in Ric2F					
I1JJ	672	2	INDIC				N Diag; c	cataracts		
				9,967 1 3 5,464 576				ot apply to this asses to determine dicated	sment	
			Note: See	e CATARCT i	in Ric2F					
I1KK	674	2	INDIC				N Diag; d	diabetic retinopathy		
				9,967 1 3 5,988 52				ot apply to this asses to determine dicated	sment	
			Note: See	e DIABRET i	in Ric2F					
I1LL	676	2	INDIC				N Diag; g	glaucoma		
				9,967 1 3 5,568 472				ot apply to this asses to determine dicated	sment	
			Note: See	e GLAUCOMA	in Ric2	F				
I1MM	678	2	INDIC				N Diag; m	nacular degeneration		
				9,967 1 3 5,834 206				ot apply to this asses to determine dicated	sment	
			Note: See	e MACDEGEN	in Ric2	F				
I1NN	680	2	INDIC				N Diag; a	allergies		
				9,967 1 1 4,605 1,437				ot apply to this asses to determine dicated	sment	

Note: See ALLERGY in Ric2F

10/27/04 MDS 2002	MEDICARE CURRENT BEN Minimum Data Set	EFICIARY SURVEY	RIC: MD Page: 44 Version: 1
	Frequency ComQues# Fa	acQues# Variable Type & Label	
I100 682 2 INDIC		N Diag; anemia	
Note:	9,967 1 1 4,737 1,305 See ANEMIA in Ric2F	. Missing -3 Does not apply to this -1 Unable to determine 0 Not indicated 1 Indicated	s assessment
I1PP 684 2 INDIC		N Diag; cancer	
No. box	9,967 1 1 5,585 457	. Missing -3 Does not apply to this -1 Unable to determine 0 Not indicated 1 Indicated	s assessment
	See CANCER in Ric2F	N Diant word failum	
11QQ 686 2 INDIC	9,967 1 1 5,707 335	N Diag; renal failure . Missing -3 Does not apply to this -1 Unable to determine 0 Not indicated 1 Indicated	s assessment
Note:	See RENTFAIL in Ric2F		
I1RR 688 2 INDIC	6,853 2 23 8,026	N Diag; none of above . Missing -3 Does not apply to this -1 Unable to determine 0 Not indicated	s assessment
	1,107	1 Indicated	
12A 690 2 INDIC	5,872 2 4 9,983 150	N Diag; antibiotic resis . Missing -3 Does not apply to this -1 Unable to determine 0 Not indicated 1 Indicated	
Note:	See INFMRSA in Ric2F		
I2B 692 2 INDIC	5,874 2 4 10,078 53	N Diag; clostridium diff . Missing -3 Does not apply to this -1 Unable to determine 0 Not indicated 1 Indicated	

Note: See INFCDIFF in Ric2F

10/27/04 MDS 2002				MEDICARE (ENEFICIAR	Y SURVEY	RIC: Page: Version:	MD 45
Variable				Frequency			Variable Type & Label		
I2C	694	2	INDIC				N Diag; conjunctivitis		
				5,872 2 4 10,070 63			. Missing -3 Does not apply to this a -1 Unable to determine 0 Not indicated 1 Indicated	ssessment	
			Note: Se	e INFCONJ i	in Ric2F				
I2D	696	2	INDIC				N Diag; HIV infection		
				5,867 83 3,151 6,910 0			. Missing -3 Does not apply to this a -1 Unable to determine 0 Not indicated 1 Indicated	ssessment	
			Note: Se	e INFHIV ir	n Ric2F				
I2E	698	2	INDIC				N Diag; pneumonia		
				5,872 2 4 9,611 522			. Missing -3 Does not apply to this a -1 Unable to determine 0 Not indicated 1 Indicated	ssessment	
			Note: Se	e INFPNEU	in Ric2F				
I2F	700	2	INDIC				N Diag; respiratory infect	ion	
				5,872 2 4 9,857 276			. Missing -3 Does not apply to this a -1 Unable to determine 0 Not indicated 1 Indicated	ssessment	
			Note: Se	e INFRESP i	in Ric2F				
I2G	702	2	INDIC				N Diag; septicemia		
				5,872 2 4 10,030 103			. Missing -3 Does not apply to this a -1 Unable to determine 0 Not indicated 1 Indicated	ssessment	
			Note: Se	e INFSEPT i	in Ric2F				
I2H	704	2	INDIC				N Diag; sexually transmitt	ed diseases	
				5,868 74 2,849 7,219			. Missing -3 Does not apply to this a -1 Unable to determine 0 Not indicated 1 Indicated	ssessment	

Note: See INFSEXTR in Ric2F

10/27/04 MDS 2002				MEDICARE (BENEFICIARY	ន	JRVEY	RIC: Page: Version:	MD 46
Variable				Frequency			Va 	ariable Type & Label		
121	706	2	INDIC				N	Diag; tuberculosis		
			Nation Co.	5,872 2 4 10,130 3			-3 -1 0	Missing Does not apply to this asses Unable to determine Not indicated Indicated	ssment	
T 0 T	700	2		e INFTBRC :	in Riczr		NT.	Dianina turat infanti.	20 -	_
I2J	708	2	INDIC					Diag; urinary tract infection	on, 30 day:	3
				3,713 6 10,909 1,383			-1 0	Missing Unable to determine Not indicated Indicated		
			Note: Se	e INFURNRY	in Ric2	F				
I2K	710	2	INDIC				N	Diag; viral hepatitus		
				5,872 2 4 10,120 13			-3 -1 0	Missing Does not apply to this asses Unable to determine Not indicated Indicated	ssment	
			Note: Se	e INFHPPTS	in Ric2	F				
I2L	712	2	INDIC				N	Diag; wound infection		
				5,872 2 4 9,871 262			-3 -1 0	Missing Does not apply to this asses Unable to determine Not indicated Indicated	ssment	
			Note: Se	e INFWOUND	in Ric2	F				
I2M	714	2	INDIC				N	Diag; none of above		
				3,710 3,188 2,285 6,828			-1 0	Missing Unable to determine Not indicated Indicated		
I3A	716	7					С	Diag; other diagnosis A		
I3B	723	7					С	Diag; other diagnosis B		
I3C	730	7					С	Diag; other diagnosis C		
I3D	737	7					С	Diag; other diagnosis D		

C Diag; other diagnosis E

I3E 744 7

10/27/04 MDS 2002				MEDICARE (ENEFICIARY	7 SURVEY	RIC: ME Page: 47 Version: 1	
Variable				Frequency			Variable Type & Label		
J1A			INDIC				N Health; weight gain/loss	s	
				5,872 2 5 9,877 255			. Missing -3 Does not apply to this a -1 Unable to determine 0 Not indicated 1 Indicated	assessment	
J1B	753	2	INDIC				N Health; not able lie fla	at, short breath	
				5,871 2 5 9,758 375			. Missing -3 Does not apply to this a -1 Unable to determine 0 Not indicated 1 Indicated	assessment	
J1C	755	2	INDIC				N Health; dehydrated		
				3,687 6 12,258 60			. Missing -1 Unable to determine 0 Not indicated 1 Indicated		
			Note: Se	e DEHYD in	Ric2F				
J1D	757	2	INDIC				N Health; insufficient flo	uid	
				5,871 2 5 9,828 305			. Missing -3 Does not apply to this a -1 Unable to determine 0 Not indicated 1 Indicated	assessment	
J1E	759	2	INDIC				N Health; delusions		
				5,871 2 4 9,850 284			. Missing -3 Does not apply to this a -1 Unable to determine 0 Not indicated 1 Indicated	assessment	
			Note: Se	e DELUS in	Ric2F				
J1F	761	2	INDIC				N Health; dizziness/verti	go	
				9,966 1 3 5,902 139			. Missing -3 Does not apply to this a -1 Unable to determine 0 Not indicated 1 Indicated	assessment	
J1G	763	2	INDIC				N Health; edema		
				5,871 2 4 8,215 1,919			. Missing -3 Does not apply to this a -1 Unable to determine 0 Not indicated 1 Indicated	assessment	

MDS 2002				Minimum D	ata Set	. 501	RVB1	Page: Version:	48 1
							riable Type & Label		
Ј1Н	765	2	INDIC			N I	Health; fever		
				5,871 2 4 9,883 251		-3 I -1 U 0 N	Missing Does not apply to this asse Unable to determine Not indicated Indicated	essment	
J1I	767	2	INDIC			N I	Health; hallucinations		
				3,687 5 12,127 192		-1 t	Missing Jnable to determine Not indicated Indicated		
				e HALLUC i	n Ric2F				
J1J	769	2	INDIC			N I	Health; internal bleeding		
				5,871 2 4 10,082 52		-3 I -1 U 0 N	Missing Does not apply to this asse Unable to determine Not indicated Indicated	ssment	
J1K	771	2	INDIC			N I	Health; recurrent lung aspi	rations	
				5,871 2 4 10,082 52		-3 I -1 U 0 N	Missing Does not apply to this asse Unable to determine Not indicated Indicated	essment	
J1L	773	2	INDIC			N I	Health; shortness of breath	L	
				5,871 2 4 9,277 857		-3 I -1 U 0 N	Missing Does not apply to this asse Unable to determine Not indicated Indicated	essment	
J1M	775	2	INDIC			N F	Health; syncope (fainting)		
				9,966 1 3 6,005 36		-3 I -1 U 0 N	Missing Does not apply to this asse Unable to determine Not indicated Indicated	essment	
J1N	777	2	INDIC			N F	Health; unsteady gate		
				5,873 2 4 6,610 3,522		-3 I -1 U 0 N	Missing Does not apply to this asse Jnable to determine Not indicated Indicated	essment	

RIC: MD

10/27/04 MDS 2002				MEDICARE (BENEFICIARY	ន	JRVEY	RIC: Page: Version:	MD 49
Variable				Frequency			ariable Type & Label		
J10			INDIC				Health; vomiting		
				5,873 2 4 9,955 177		-3 -1 0	Missing Does not apply to this asse: Unable to determine Not indicated Indicated	ssment	
J1P	781	2	INDIC			N	Health; none of above		
				5,586 6 4,612 5,807		-1 0	Missing Unable to determine Not indicated Indicated		
J2A	783	2	PAINA			N	Health; pain symptoms, frequ	uency	
				3,689 7 7,692 2,481 2,142		-1 0 1	Missing Unable to determine No pain Pain less than daily Pain daily		
J2B	785	2	PAINB			N	Health; pain symptoms, inter	nsity	
				3,687 7,695 7 1,813 2,489 320		-2 -1 1 2	Missing Item was left blank Unable to determine Mild pain Moderate pain Horrible/Excruciating pain		
J3A	787	2	INDIC	9,967 1 3,388 12 2,107 536		-3 -2 -1	Health; pain site, back Missing Does not apply to this asses Item was left blank Unable to determine Not indicated Indicated	ssment	
Ј3В	789	2	INDIC	9,967 1 3,388 13 2,356 286		-3 -2 -1	Health; pain site, bone Missing Does not apply to this asserted was left blank Unable to determine Not indicated Indicated	ssment	
J3C	791	2	INDIC	9,967 1 3,387 13 2,592 51		-3 -2 -1	Health; pain site, chest Missing Does not apply to this asses Item was left blank Unable to determine Not indicated Indicated	ssment	

10/27/04 MDS 2002				MEDICARE Minimum D	ENEFICIARY	Y S	URVEY	RIC: Page: Version:	MD 50 1
Variable	Col			Frequency	 	Va 	ariable Type & Label		
J3D	793	2	INDIC			N	Health; pain site, headache	e	
				9,967			Missing		
				1 3,387			Does not apply to this asset Item was left blank	essment	
				13			Unable to determine		
				2,408			Not indicated		
				235		1	Indicated		
J3E	795	2	INDIC			N	Health; pain site, hip		
				9,967			Missing		
				1			Does not apply to this asse	essment	
				3,388 12			Item was left blank Unable to determine		
				2,102			Not indicated		
				541		1	Indicated		
J3F	797	2	INDIC			N	Health; pain site, incision	nal	
				9,967			Missing		
				1			Does not apply to this asse	essment	
				3,388			Item was left blank		
				12 2,393			Unable to determine Not indicated		
				250			Indicated		
J3G	799	2	INDIC			N	Health; pain site, joint, o	other than	hip
				9,967			Missing		
				1			Does not apply to this asse	essment	
				3,388			Item was left blank		
				11 1,810			Unable to determine Not indicated		
				834			Indicated		
Ј3Н	801	2	INDIC			N	Health; pain site, soft tis	ssue	
				9,967			Missing		
				1			Does not apply to this asse	essment	
				3,388			Item was left blank		
				9 2,198			Unable to determine Not indicated		
				448			Indicated		
J3I	803	2	INDIC			N	Health; pain site, stomach	pain	
				9,967			Missing		
				1			Does not apply to this asse	essment	
				3,388		-2	Item was left blank		
				12			Unable to determine		
				2,532 111			Not indicated Indicated		
J3J	805	2	INDIC			N	Health; pain site, other		

. Missing

-1 Unable to determine
0 Not indicated
1 Indicated

-3 Does not apply to this assessment -2 Item was left blank

9,967 1

3,388

7 1,717 931

No. No.	10/27/04 MDS 2002				MEDICARE CURRENT BENEFICI. Minimum Data Set	RIC: MD Page: 51 Version: 1
March Marc	Variable					# Variable Type & Label
S	J4A					N Health; fell in last 30 days
1						
3,687 1						
9	Ј4В	809	2	INDIC		N Health; fell in last 31-180 days
3,025 1 Indicated 1 Indicated 1 Indicated 2 Indicated 3,687 -1 Unable to determine 1 Indicated 1					9	-1 Unable to determine
3,687						
## 11.768	J4C	811	2	INDIC		
11.768						
3,694 . Missing . 1 Unable to determine . 1,826 . Missing . 1 Unable to determine . 1,826 . Missing . 1 Unable to determine . 1,826 . Missing . 1 Unable to determine . 1,826 . Missing . 1 Unable to determine						
3,694 1,826 1,000 1,00					548	1 Indicated
Second 1 1 1 1 1 1 1 1 1	J4D	813	2	INDIC		N Health; other fracture in last 180 days
11,826						-
3,687						
3,687					483	1 Indicated
## 1 Unable to determine ## 4,672	J4E	815	2	INDIC		N Health; none of above
## 4,672						
J5A 817 2 INDIC N Health; diseases make patterns unstable 3,687 . Missing -1 Unable to determine 0 Not indicated 1 Indicated J5B 819 2 INDIC N Health; episode of recurrent problem 3,687 . Missing -1 Unable to determine 0 Not indicated 1 Indicated J5C 821 2 INDIC N Health; end-stage disease, 6 mo. to live 3,687 . Missing -1 Unable to determine 0 Not indicated 1 Indicated J5D 823 2 INDIC N Health; none of above 3,687 . Missing -1 Unable to determine 0 Not indicated 1 Indicated J5D N Health; none of above 3,687 . Missing -1 Unable to determine 0 Not indicated 0 Not indicated 0 Not indicated						
3,687					7,644	1 Indicated
J5B 819 2 INDIC N Health; episode of recurrent problem 3,687 . Missing -1 Unable to determine 10,681 0 Not indicated J5C 821 2 INDIC N Health; episode of recurrent problem 3,687 . Missing -1 Unable to determine 10,681 1 Indicated N Health; end-stage disease, 6 mo. to live 3,687 . Missing -1 Unable to determine 12,197 0 Not indicated 12,197 0 Not indicated 12,197 0 Not indicated J5D 823 2 INDIC N Health; none of above 3,687 . Missing -1 Unable to determine 12,197 0 Not indicated -1 Unable to determine 0 Not indicated J5D N Health; none of above	J5A	817	2	INDIC		N Health; diseases make patterns unstable
J5B 819 2 INDIC N Health; episode of recurrent problem 3,687 . Missing -1 Unable to determine 10,681 1 Indicated J5C 821 2 INDIC N Health; end-stage disease, 6 mo. to live 3,687 . Missing -1 Unable to determine 12,197 0 Not indicated 12,197 0 Not indicated J5D 823 2 INDIC N Health; none of above 3,687 . Missing -1 Unable to determine 12,197 0 Not indicated -1 Indicated J5D N Health; none of above 3,687 . Missing -1 Unable to determine 0 Not indicated -1 Unable to determine 0 Not indicated					•	
J5B 819 2 INDIC N Health; episode of recurrent problem 3,687 . Missing -1 Unable to determine 10,681 1,637 1 Indicated J5C 821 2 INDIC N Health; end-stage disease, 6 mo. to live 3,687 . Missing -1 Unable to determine 12,197 0 Not indicated J5D 823 2 INDIC N Health; none of above 3,687 . Missing -1 Unable to determine 12,197 0 Not indicated 1 Indicated J5D N Health; none of above 3,687 . Missing -1 Unable to determine 0 Not indicated 1 Unable to determine 0 Not indicated						
3,687					4,551	1 Indicated
J5C 821 2 INDIC N Health; end-stage disease, 6 mo. to live 3,687 . Missing 6 -1 Unable to determine 7	J5B	819	2	INDIC		N Health; episode of recurrent problem
J5C 821 2 INDIC N Health; end-stage disease, 6 mo. to live 3,687 . Missing 6 -1 Unable to determine 12,197 0 Not indicated 121 1 Indicated J5D 823 2 INDIC N Health; none of above 3,687 . Missing -1 Unable to determine 10 Not indicated 11 Indicated 12 Indicated N Health; none of above 3,687 . Missing -1 Unable to determine 5,268 0 Not indicated						
J5C 821 2 INDIC N Health; end-stage disease, 6 mo. to live 3,687 . Missing 6 -1 Unable to determine 12,197 0 Not indicated 121 1 Indicated J5D 823 2 INDIC N Health; none of above 3,687 . Missing 4 -1 Unable to determine 5,268 0 Not indicated						
3,687 . Missing -1 Unable to determine 12,197 0 Not indicated 121 1 Indicated J5D 823 2 INDIC N Health; none of above 3,687 . Missing 4 -1 Unable to determine 5,268 0 Not indicated						1 Indicated
6	J5C	821	2	INDIC		N Health; end-stage disease, 6 mo. to live
12,197 0 Not indicated 1 Indicated 1 Indicated 1 Indicated N Health; none of above 3,687 . Missing 4 -1 Unable to determine 5,268 0 Not indicated						
J5D 823 2 INDIC N Health; none of above 3,687 . Missing 4 -1 Unable to determine 5,268 0 Not indicated						
3,687 . Missing 4 -1 Unable to determine 5,268 0 Not indicated						
4 -1 Unable to determine 5,268 0 Not indicated	J5D	823	2	INDIC		N Health; none of above
5,268 0 Not indicated						
, ,						

10/27/04 MDS 2002				MEDICARE (BENEFICIARY	E	RIC: Page: ! Version:	MD 52 1
Variable				Frequency			Variable Type & Label		
K1A	825	2	INDIC				N Nutri; chewing problem		
				5,869 2 2 7,781 2,357			. Missing -3 Does not apply to this assess -1 Unable to determine 0 Not indicated 1 Indicated	ment	
				e ONCHEW in	n Ric2F				
K1B	827	2	INDIC	5,869 2 1 8,362 1,777			N Nutri; swallowing problem . Missing -3 Does not apply to this assess -1 Unable to determine 0 Not indicated 1 Indicated	ment	
				e ONSWALL :	in Ric2F	1			
KIC	029	2	INDIC	9,965 1 2 6,006 37			N Nutri; mouth pain . Missing -3 Does not apply to this assess -1 Unable to determine 0 Not indicated 1 Indicated	ment	
		•		e ONMOUTHP	in Ric2	F			
K1D	831	2	INDIC	6,848 2 1 3,016 6,144			N Nutri; none of above . Missing -3 Does not apply to this assess -1 Unable to determine 0 Not indicated 1 Indicated	ment	
K2A	833	2					N Nutri; height		
			Note: Se	e HEIGHT in	n Ric2F				
K2B	835	3	Noto: So	e WEIGHT in	n Biane		N Nutri; weight		
КЗА	838	2	YESNO	e wright in	I KICZF		N Nutri; weight loss, 5% in las	t 30	
				3,688 38 10,972 1,313			. Missing -1 Unable to determine 0 No 1 Yes		
К3В	840	2	YESNO	3,688 37 11,614 672			N Nutri; weight gain, 5% in las . Missing -1 Unable to determine 0 No 1 Yes	t 30	

							Version:	1
77.47					ComQues# FacQues#	Variable Type & Label		
K4A	842	2	INDIC			N Nutri; complains about	taste of food	
				9,967		. Missing		
				1		-3 Does not apply to this	assessment	
				1		-1 Unable to determine		
				5,973 69		0 Not indicated 1 Indicated		
K4B	844	2	INDIC			N Nutri; regular complai	nts of hunger	
				9,967		. Missing		
				1		-3 Does not apply to this	assessment	
				1		-1 Unable to determine		
				6,025		0 Not indicated		
				17		1 Indicated		
K4C	846	2	INDIC			N Nutri; leaves 25% food	left uneaten	
				9,967		. Missing		
				1		-3 Does not apply to this	assessment	
				1		-1 Unable to determine		
				3,771 2,271		0 Not indicated 1 Indicated		
r/D	0.40	2	TNDTC	2,2,1				
K4D	848	2	INDIC			N Nutri; none of above		
				9,977		. Missing		
				2,308		-1 Unable to determine O Not indicated		
				3,725		1 Indicated		
K5A	850	2	INDIC			N Nutri; parenteral/IV		
				5,875		. Missing		
				3,073		-3 Does not apply to this	assessment	
				1		-1 Unable to determine		
				9,925		0 Not indicated		
				207		1 Indicated		
К5В	852	2	INDIC			N Nutri; feeding tube		
				3,687		. Missing		
				1		-1 Unable to determine		
				11,400		0 Not indicated		
				923		1 Indicated		
K5C	854	2	INDIC			N Nutri; mechanically al	tered diet	
				9,967		. Missing		
				1		-3 Does not apply to this	assessment	
				2		-1 Unable to determine		
				3,913 2,128		0 Not indicated 1 Indicated		
K5D	856	2	INDIC			N Nutri; syringe, oral f	eeding	
				9,967		. Missing		
				1		-3 Does not apply to this	assessment	
				1		-1 Unable to determine		
				6,021		0 Not indicated		
				21		1 Indicated		

10/27/04 MDS 2002				MEDICARE (CURRENT BEN ata Set	EFICIARY	S S	URVEY	RIC: Page: Version:	MD 54 1
Variable	Col	Len	Format	Frequency	ComQues# Fa	acQues#	Va 	ariable Type & Label		
K5E	858	2	INDIC				N	Nutri; therapeutic diet		
				9,967				Missing		
				1				Does not apply to this as	sessment	
				1				Unable to determine	00000110	
				3,172			0	Not indicated		
				2,870			1	Indicated		
K5F	860	2	INDIC				N	Nutri; dietary supplement	before mea	ls
				9,967				Missing		
				1				Does not apply to this as	sessment	
				1				Unable to determine		
				4,398			0	Not indicated		
				1,644			1	Indicated		
K5G	862	2	INDIC				N	Nutri; plate guard, built	-up utensil	,
				9,967				Missing		
				1			-3	Does not apply to this as	sessment	
				1			-1	Unable to determine		
				5,835			0	Not indicated		
				207			1	Indicated		
К5Н	864	2	INDIC				N	Nutri; planned weight char	nge program	
				3,687				Missing		
				1				Unable to determine		
				10,306				Not indicated		
				2,017			1	Indicated		
K5I	866	2	INDIC				N	Nutri; none of above		
				5,586				Missing		
				1				Unable to determine		
				6,046				Not indicated		
				4,378			1	Indicated		
КбА	868	2	CALORIES				N	Nutri; parenteral, total	calories	
				5,887				Missing		
				33				Does not apply to this as	sessment	
				9,206				Item was left blank		
				174				None		
				48				1% - 25%		
				24				26% - 50%		
				29 610				51% - 75% 76% - 100%		
K6B	870	2	FLUID				N	Nutri; parenteral, fluid	intake	
				5,887				Migging		
				5,887				Missing Does not apply to this as	aeaamen+	
				9 205				Thom was loft blank	JCDDINCIIL	

-2 Item was left blank

1 1 to 500cc/day 2 501 to 1000cc/day 3 1001 to 1500cc/day 4 1501 to 2000cc/day 5 2001 or more cc/day

0 None

9,205

26

10/27/04 MDS 2002				MEDICARE (BENEFICIARY	នា	URVEY	RIC: Page: Version:	MD 55
						# FacQues#		ariable Type & Label		
L1A	872	2	INDIC					Dental; debris present prior		
				9,972				Missing		
				1			-3	Does not apply to this asses	ssment	
				6,018 20				Not indicated Indicated		
			Note: Se	e DHDEBRIS	in Ric2	F				
L1B	874	2	INDIC				N	Dental; dentures or removable	le bridge	
				9,972				Missing		
				1			-3	Does not apply to this asses	ssment	
				3,104 2,934				Not indicated Indicated		
			Note: Se	e DHBRIDGE	in Ric2	F				
L1C	876	2	INDIC				N	Dental; some/all natural tee	eth lost	
				9,972				Missing		
				1				Does not apply to this asses	ssment	
				4,358 1,680				Not indicated Indicated		
			Note: Se	e DHTEELOS	in Ric2	F				
L1D	878	2	INDIC				N	Dental; broken or loose teet	h	
				9,972				Missing		
				1				Does not apply to this asses	ssment	
				5,790 248				Not indicated Indicated		
			Note: Se	e DHBROKEN	in Ric2	F				
L1E	880	2	INDIC				N	Dental; inflamed gums		
				9,972				Missing		
				1				Does not apply to this asses	ssment	
				5,993				Not indicated		
				45	0		Τ	Indicated		
			Note: Se	e DHINFGUM	in Ric2	F				
L1F	882	2	INDIC				N	Dental; daily cleaning of te	eeth/dentu	res
				9,972				Missing		
				1 66				Does not apply to this asses Not indicated	ssment	
				5,972				Indicated		
L1G	884	2	INDIC				N	Dental; none of above		
				9,982				Missing		
				6,007 22				Not indicated Indicated		
M1A	886	2					N	Skin; number of stage 1 ulce	ers	
M1B	888	2					N	Skin; number of stage 2 ulce	ers	

10/27/04 MDS 2002				MEDICARE (ENEFICIARY	Page:	MD 56 n: 1
Variable				Frequency		Variable Type & Label	
M1C	890	2				N Skin; number of stage 3 ulcers	
M1D	892	2				N Skin; number of stage 4 ulcers	
M2A	894	2	ULCERSTA			N Skin; highest stage, pressure ulce	£
				3,688 10,760 374 784 174 231		. Missing 0 None 1 Stage one 2 Stage two 3 Stage three 4 Stage four	
M2B	896	2	ULCERSTA			N Skin; highest stage, stasis ulcer	
				3,688 1 12,121 13 102 28 58		. Missing 1 Unable to determine 0 None 1 Stage one 2 Stage two 3 Stage three 4 Stage four	
М3	898	2	YESNO			N Skin; ulcer resolved in last 90 day	/S
				9,039 1 5 6,324 642		. Missing 3 Does not apply to this assessment 1 Unable to determine 0 No 1 Yes	
M4A	900	2	INDIC			N Skin; abrasions, bruises	
				5,874 2 7,824 2,311		. Missing 3 Does not apply to this assessment 0 Not indicated 1 Indicated	
M4B	902	2	INDIC			N Skin; burns, 2nd or 3rd degree	
				5,874 2 10,121 14		. Missing 3 Does not apply to this assessment 0 Not indicated 1 Indicated	
M4C	904	2	INDIC			N Skin; open lesions, not ulcer/rash	cut/
				5,874 2 9,939 196		. Missing 3 Does not apply to this assessment 0 Not indicated 1 Indicated	
M4D	906	2	INDIC			N Skin; rashes	
				5,874 2 9,101 1,034		. Missing 3 Does not apply to this assessment 0 Not indicated 1 Indicated	

MDS 2002				Minimum Data	ENEFICIARI	. SI	JKVE1	Page: Version:	57 1
Variable				Frequency Co			ariable Type & Label		
M4E	908	2	INDIC			N	Skin; desensitized to pain	or pressure	3
				5,874			Missing		
				2			Does not apply to this asse	ssment	
				1			Unable to determine		
				9,510			Not indicated		
				624		1	Indicated		
M4F	910	2	INDIC			N	Skin; tears or cuts, other	than surger	-y
				5,874			Missing		
				2		-3	Does not apply to this asse	ssment	
				9,488			Not indicated		
				647		1	Indicated		
M4G	912	2	INDIC			N	Skin; surgical wounds		
				5,874			Missing		
				2			Does not apply to this asse	ssment	
				4		-1	Unable to determine		
				9,138			Not indicated		
				993		1	Indicated		
м4н	914	2	INDIC			N	Skin; none of above		
				5,890			Missing		
				2			Does not apply to this asse	ssment	
				4,326		0	Not indicated		
				5,793		1	Indicated		
M5A	916	2	INDIC			N	Skin; pressure rel device f	or chair	
				5,875			Missing		
				2		-3	Does not apply to this asse	ssment	
				6,640			Not indicated		
				3,494		1	Indicated		
М5В	918	2	INDIC			N	Skin; pressure rel device f	or bed	
				5,875			Missing		
				2			Does not apply to this asse	ssment	
				4,480		0	Not indicated		
				5,654		1	Indicated		
M5C	920	2	INDIC			N	Skin; turning/repositioning	program	
				5,875			Missing		
				2			Does not apply to this asse	ssment	
				5,908		0	Not indicated		
				4,226		1	Indicated		
M5D	922	2	INDIC			N	Skin; nutrition to manage s	kin prob	
				5,875		_	Missing		
				2			Does not apply to this asse	ssment	
				8,480			Not indicated	-	
				1,654		1	Indicated		

RIC: MD

10/27/04 MDS 2002				MEDICARE (ENEFICIARY	SURVEY	RIC: Page: Version:	MD 58 1
Variable				Frequency		Variable Type & Label		
M5E	924	2	INDIC			N Skin; ulcer care		
				5,875 2 8,871 1,263		. Missing -3 Does not apply to this asses 0 Not indicated 1 Indicated	ssment	
M5F	926	2	INDIC			N Skin; surgical wound care		
				5,875 2 9,344 790		. Missing -3 Does not apply to this asses 0 Not indicated 1 Indicated	ssment	
M5G	928	2	INDIC			N Skin; applic. of dressings,	not feet	
				5,875 2 8,347 1,787		. Missing -3 Does not apply to this asses 0 Not indicated 1 Indicated	ssment	
м5н	930	2	INDIC			N Skin; applic. of ointment/me	ed, not fe	et
				5,875 2 1 7,077 3,056		. Missing -3 Does not apply to this asses -1 Unable to determine 0 Not indicated 1 Indicated	ssment	
M5I	932	2	INDIC			N Skin; other preventative can	re, not fe	et
				5,875 2 5,298 4,836		. Missing -3 Does not apply to this asses 0 Not indicated 1 Indicated	ssment	
M5J	934	2	INDIC			N Skin; none of above		
				5,891 2 8,675 1,443		. Missing -3 Does not apply to this asses 0 Not indicated 1 Indicated	ssment	
мбА	936	2	INDIC			N Skin; foot, one or more prob	olems	
				5,870 2 1 8,312 1,826		. Missing -3 Does not apply to this asses -1 Unable to determine 0 Not indicated 1 Indicated	ssment	
M6B	938	2	INDIC			N Skin; foot, infections		
				5,870 2 10,030 109		. Missing -3 Does not apply to this asses 0 Not indicated 1 Indicated	ssment	

10/27/04 MDS 2002				MEDICARE (BENEFICIARY	st.	JRVEY	RIC: Page: Version:	MD 59 1
Variable				Frequency		Va 	ariable Type & Label		
M6C	940	2	INDIC			N	Skin; foot, open lesions		
				5,870 2 9,880 259		-3 0	Missing Does not apply to this asses Not indicated Indicated	ssment	
M6D	942	2	INDIC			N	Skin; foot, nails/calluses t	trimmed	
				5,870 2 1 4,947 5,191		-3 -1 0	Missing Does not apply to this asses Unable to determine Not indicated Indicated	ssment	
M6E	944	2	INDIC			N	Skin; foot, preventative can	re	
				5,870 2 8,048 2,091		-3 0	Missing Does not apply to this asses Not indicated Indicated	ssment	
M6F	946	2	INDIC			N	Skin; foot, application of o	dressings	
				5,870 2 1 9,657 481		-3 -1 0	Missing Does not apply to this asses Unable to determine Not indicated Indicated	ssment	
M6G	948	2	INDIC			N	Skin; none of above		
				5,886 2 1 6,792 3,330		-3 -1 0	Missing Does not apply to this asses Unable to determine Not indicated Indicated	ssment	
N1A	950	2	INDIC			N	Act; awake in morning		
				3,687 2 1,206 11,116		-1 0	Missing Unable to determine Not indicated Indicated		
N1B	952	2	INDIC			N	Act; awake in afternoon		
				3,687 2 1,948 10,374		-1 0	Missing Unable to determine Not indicated Indicated		
N1C	954	2	INDIC			N	Act; awake in evening		
				3,687 1 5,020 7,303		-1 0	Missing Unable to determine Not indicated Indicated		

10/27/04 MDS 2002				MEDICARE Minimum D	BENEFICIARY	r s	URVEY	RIC: Page: Version:	MD 60 1
				Frequency			ariable Type & Label		
N1D	956	2	INDIC			N	Act; none of above		
				3,687			Missing		
				1			Unable to determine		
				11,885 438			Not indicated Indicated		
				150		_	Indicated		
N2	958	2	AVRGTIME			N	Act; average time involved		
				3,687			Missing		
				37			Item was left blank		
				1			Unable to determine		
				493			Most - more than 2/3 time		
				9,827			Some - from $1/3$ to $2/3$ time		
				1,853 113			Little - less than 1/3 time None		
N3A	960	2	INDIC				Act; settings, own room		
1.511	, , ,	_	111210				nee, peeerings, ewn reem		
				9,967			Missing		
				1			Does not apply to this asse	ssment	
				9			Item was left blank		
				2			Unable to determine Not indicated		
				590 5,442			Indicated		
				5,112		_	Indicated		
N3B	962	2	INDIC			N	Act; settings, day room		
				9,967			Missing		
				1		-3	Does not apply to this asse	ssment	
				9		-2	Item was left blank		
				2		-1	Unable to determine		
				1,593			Not indicated		
				4,439		1	Indicated		
N3C	964	2	INDIC			N	Act; settings, inside NH, o	ff unit	
				9,967			Missing		
				1			Does not apply to this asse	ssment	
				9			Item was left blank		
				2		-1	Unable to determine		
				3,009		0	Not indicated		
				3,023		1	Indicated		
N3D	966	2	INDIC			N	Act; settings, outside faci	lity	
				9,967			Missing		
				9,907 1			Does not apply to this asse	ssment	
				9			Item was left blank		
				2			Unable to determine		
				4,684			Not indicated		
				1,348			Indicated		
N3E	968	2	INDIC			N	Act; settings, none of above	e	

9,977 9 2

5,959 64 . Missing
-2 Item was left blank
-1 Unable to determine
0 Not indicated
1 Indicated

10/27/04 MDS 2002		MEDICARE CURRENT BENEFICIARY S Minimum Data Set	SURVEY	RIC: MD Page: 61 Version: 1
Variable		Frequency ComQues# FacQues# V	Variable Type & Label	
N4A	970 2 INDIC		N Act; pref, cards, other game	es
		1 -3 9 -2 2 -1 3,498 0	Missing Does not apply to this asses Item was left blank Unable to determine Not indicated Indicated	ssment
N4B	972 2 INDIC	N	N Act; pref, crafts/arts	
		$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Missing Does not apply to this asses Item was left blank Unable to determine Not indicated Indicated	ssment
N4C	974 2 INDIC	N	N Act; pref, exercise/sports	
		1 -3 9 -2 2 -1 3,406 0	Missing Does not apply to this asses Item was left blank Unable to determine Not indicated Indicated	ssment
N4D	976 2 INDIC	N	J Act; pref, music	
		$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	Missing Does not apply to this asses Item was left blank Unable to determine Not indicated Indicated	ssment
N4E	978 2 INDIC	N	N Act; pref, reading/writing	
		1 -3 9 -2 2 -1 3,086 0	. Missing 3 Does not apply to this asses 2 Item was left blank 1 Unable to determine) Not indicated 1 Indicated	ssment
N4F	980 2 INDIC	N	N Act; pref, spiritual/religio	ous activitie
		$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Missing Does not apply to this asses Item was left blank Unable to determine Not indicated Indicated	ssment
N4G	982 2 INDIC	N	N Act; pref, trips/shopping	
		$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Missing Does not apply to this asses Item was left blank Unable to determine Not indicated Indicated	ssment

10/27/04 MDS 2002				MEDICARE C	URRENT BENEFICIAR ta Set	r s	URVEY	RIC: Page: Version:	MD 62 1
					ComQues# FacQues#		ariable Type & Label		
N4H	984	2	INDIC			N	Act; pref, walking/wheelc	nair outdoor	S
				9,967			Missing		
				1			Does not apply to this as:	sessment	
				9 2			Item was left blank Unable to determine		
							Not indicated		
				3,461			Indicated		
				2,571		1	Indicated		
N4I	986	2	INDIC			N	Act; pref, watching TV		
				9,967			Missing		
				1		-3	Does not apply to this as	sessment	
				9		-2	Item was left blank		
				2			Unable to determine		
				1,255			Not indicated		
				4,777		1	Indicated		
N4J	988	2	INDIC			N	Act; pref, gardening or p	lants	
				9,967			Missing		
				1			Does not apply to this as	sessment	
				9			Item was left blank		
				2			Unable to determine		
				5,055 977			Not indicated Indicated		
				977		Τ	Indicated		
N4K	990	2	INDIC			N	Act; pref, talking or con-	versing	
				9,967			Missing		
				1		-3	Does not apply to this as	sessment	
				9		-2	Item was left blank		
				2		-1	Unable to determine		
				1,167			Not indicated		
				4,865		1	Indicated		
N4L	992	2	INDIC			N	Act; pref, helping others		
				9,967			Missing		
				1		-3	Does not apply to this as	sessment	
				9		-2	Item was left blank		
				2			Unable to determine		
				5,246			Not indicated		
				786		1	Indicated		
N4M	994	2	INDIC			N	Act; pref, none of above		
				9,977			Missing		
				9		-2	Item was left blank		
				2		-1	Unable to determine		
				5,958			Not indicated		
				65		1	Indicated		

N Act; pref, change in type activities

-3 Does not apply to this assessment -2 Item was left blank

. Missing

0 No change 1 Slight change 2 Major change

-1 Unable to determine

N5A

996 2 ROUTINCH

9,967

5,725

244 57

1 10

10/27/04 MDS 2002				MEDICARE CURF	RENT BENEFICIARY Set	r si	URVEY	RIC: Page: Version:	MD 63
Variable					Ques# FacQues#		ariable Type & Label		
N5B			ROUTINCH			N	Act; pref, change in extent	involveme	nt
				9,967 1 10 7 5,704 258 64		-3 -2 -1 0	Missing Does not apply to this asse Item was left blank Unable to determine No change Slight change Major change	ssment	
01	1000	2		04			Rx; # of different med rec	last 7	
02			YESNO				Rx; receiving med initiated		
				9,967 1 5 2,003 4,035		-3 -1 0	Missing Does not apply to this asse Unable to determine No Yes	ssment	
03	1004	2	NUMDAY	5,889 5 2 10,115		-3 -1	<pre>Rx: # of days injections re Missing Does not apply to this asse Unable to determine Number of days</pre>		
O4A	1006	2	NUMDAY			N	Rx; # of days antipsychotic	rec, last	7
				3,687 2 12,322		-1	Missing Unable to determine Number of days		
O4B	1008	2	NUMDAY				Rx; # of days antianxiety r	ec, last 7	
				3,687 2 12,322		-1	Missing Unable to determine Number of days		
O4C	1010	2	NUMDAY	3,687 2 12,322		-1	Rx: # of days antidepressan Missing Unable to determine Number of days	t rec, las	t 7
O4D	1012	2	NUMDAY			N	Rx; # of days hypnotic rec,	last 7	

3,687 2 12,322

3,687 3 12,321

O4E 1014 2 NUMDAY

. Missing -1 Unable to determine 0-7 Number of days

. Missing -1 Unable to determine 0-7 Number of days

N Rx; # of days diuretic rec, last 7

10/27/04 MDS 2002				MEDICARE Minimum D	CURRENT BENEFICIARY ata Set	Z S	SURVEY	RIC: Page: Version:	MD 64 1
Variable					ComQues# FacQues#		ariable Type & Label		
P1AA	1016	2	INDIC			N	Special; chemotherapy		
				5,875			Missing		
				2			Does not apply to this ass	oggmon+	
				4			Unable to determine	essillette	
				10,042			Not indicated		
				88			Indicated		
				00		_	Indicated		
P1AB	1018	2	INDIC			N	Special; dialysis		
				5,872			Missing		
				2		-3	Does not apply to this ass	essment	
				4			Unable to determine		
				10,022		0	Not indicated		
				111		1	Indicated		
P1AC	1020	2	INDIC			N	Special; IV medication		
				5,877			Missing		
				. 2			Does not apply to this ass	essment	
				4		-1	Unable to determine		
				9,007		0	Not indicated		
				1,121		1	Indicated		
P1AD	1022	2	INDIC			N	Special; intake/output		
				5,872			Missing		
				2			Does not apply to this ass	essment	
				4			Unable to determine		
				7,498		0	Not indicated		
				2,635		1	Indicated		
P1AE	1024	2	INDIC			N	Special; monitoring acute	med conditi	.on
				5,872		_	Missing		
				2			Does not apply to this ass	essment.	
				4			Unable to determine		
				7,154			Not indicated		
				2,979		1	Indicated		
P1AF	1026	2	INDIC			N	Special; ostomy care		
				5,872			Missing		
				2			Does not apply to this ass	essment	
				4			Unable to determine		
				9 657			Not indicated		

0 Not indicated

0 Not indicated

N Special; oxygen therapy

-3 Does not apply to this assessment -1 Unable to determine

1 Indicated

. Missing

1 Indicated

9,657

5,872

1,196

2 4 8,937

Plag 1028 2 INDIC

476

10/27/04 MDS 2002			MEDICARE CURRENT	r beneficiary survey	RIC: MD Page: 65 Version: 1
	Col Le	en Format	Frequency ComQue	es# FacQues# Variable Type & Label	
Р1АН		2 INDIC		N Special; radiation	
			5,872	. Missing	
			2	-3 Does not apply to this	assessment
			4	-1 Unable to determine	
			10,115	0 Not indicated	
			18	1 Indicated	
P1AI	1032 2	2 INDIC		N Special; suctioning	
			F 070	Minning	
			5,872 2	. Missing	
				-3 Does not apply to this	assessment
			4	-1 Unable to determine	
			10,017 116	0 Not indicated 1 Indicated	
			110	I indicated	
P1AJ	1034 2	2 INDIC		N Special; tracheostomy	
			5,872	. Missing	
			2	-3 Does not apply to this	assessment
			4	-1 Unable to determine	
			10,059 74	0 Not indicated 1 Indicated	
			74	I indicated	
P1AK	1036 2	2 INDIC		N Special; transfusions	
			5,872	. Missing	
			2	-3 Does not apply to this	assessment
			4	-1 Unable to determine	
			9,978	0 Not indicated	
			155	1 Indicated	
P1AL	1038 2	2 INDIC		N Special; ventilator or	respirator
			5,872	. Missing	
			2	-3 Does not apply to this	assessment
			4	-1 Unable to determine	
			10,103	0 Not indicated	
			30	1 Indicated	
P1AM	1040 2	2 INDIC		N Special; alcoholic/drug	treatment
			5,872	. Missing	
			2	-3 Does not apply to this	assessment
			6	-1 Unable to determine	
			10 128	u Not indicated	

0 Not indicated 1 Indicated

0 Not indicated

. Missing

1 Indicated

N Special; alzheimers/dementia spec care

-3 Does not apply to this assessment -1 Unable to determine

10,128

5,872

2 6 9,624

507

Plan 1042 2 INDIC

10/27/04 MDS 2002				MEDICARE Minimum D	CURRENT BENEFICIARY ata Set	, st	URVEY	RIC: Page: Version:	MI 66 1
					ComQues# FacQues#	Va 	ariable Type & Label		
P1AO	1044	2	INDIC			N	Special; hospice care		
				5,872			Missing		
				2			Does not apply to this ass	sessment	
				6			Unable to determine		
				10,022			Not indicated		
				109		1	Indicated		
P1AP	1046	2	INDIC			N	Special; pediatric unite		
				5,877			Missing		
				2			Does not apply to this ass	sessment	
				6			Unable to determine		
				10,125			Not indicated		
				1		1	Indicated		
P1AQ	1048	2	INDIC			N	Special; respite care		
				5,872			Missing		
				2		-3	Does not apply to this ass	sessment	
				6			Unable to determine		
				10,125			Not indicated		
				6		1	Indicated		
P1AR	1050	2	INDIC			N	Special; community skill	training	
				5,872			Missing		
				2			Does not apply to this ass	sessment	
				6			Unable to determine		
				8,714			Not indicated		
				1,417		Τ	Indicated		
P1AS	1052	2	INDIC			N	Special; none of above		
				5,888			Missing		
				2			Does not apply to this ass	sessment	
				4			Unable to determine		
				5,420			Not indicated		
				4,697		Τ	Indicated		
P1BAA	1054	2	NUMDAY			N	Special; speech therapy da	ays	
				6,010			Missing		
				1			Does not apply to this ass	sessment	
				2			Unable to determine		
				9,998	0	-7	Number of days		

N Special; speech therapy minutes

-3 Does not apply to this assessment -1 Unable to determine

N Special; occupational therapy days

-3 Does not apply to this assessment 0-7 Number of days

. Missing

. Missing

0-9999 Number of minutes

P1BAB

P1BBA

1056 4 NUMMINS

1060 2 NUMDAY

5,870

5,871

2 10,138

2 2 10,137

10/27/04 MDS 2002				MEDICARE C		ENEFICIARY		MD 67
Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label	
P1BBB	1062	4	NUMMINS				N Special; occupational therapy minutes	
				5,870 2 10,139			. Missing -3 Does not apply to this assessment 99 Number of minutes	
P1BCA	1066	2	NUMDAY				N Special; physical therapy days	
				5,871 2 10,138			. Missing -3 Does not apply to this assessment -7 Number of days	
P1BCB	1068	4	NUMMINS				N Special; physical therapy minutes	
				5,870 2 10,139			. Missing -3 Does not apply to this assessment 99 Number of minutes	
P1BDA	1072	2	NUMDAY				N Special; respiratory therapy days	
				5,871 2 2 10,136		-	. Missing -3 Does not apply to this assessment -1 Unable to determine -7 Number of days	
P1BDB	1074	4	NUMMINS				N Special; respiratory therapy minutes	
				5,870 2 2 2		-	. Missing -3 Does not apply to this assessment -1 Unable to determine 99 Number of minutes	
P1BEA	1078	2	NUMDAY				N Special; psychological therapy days	
				5,871 2 3 10,135		-	. Missing -3 Does not apply to this assessment -1 Unable to determine -7 Number of days	
P1BEB	1080	4	NUMMINS				N Special; psychological therapy minutes	
				5,870 2 3 10,136		-	. Missing -3 Does not apply to this assessment -1 Unable to determine 99 Number of minutes	
P2A	1084	2	INDIC				N Special; behavior symptom eval program	
				9,967 1 5,685 358			. Missing -3 Does not apply to this assessment 0 Not indicated 1 Indicated	

N Special; mental health specialist eval

. Missing
-3 Does not apply to this assessment
0 Not indicated
1 Indicated

P2B 1086 2 INDIC

9,967 1 5,238 805

10/27/04 MDS 2002		MEDICARE CURRENT BENEFICIARY SURVEY Minimum Data Set	RIC: N Page: 68 Version:	1 D
Variable	Col Len Format	Frequency ComQues# FacQues# Variable Type & Label		_

Variable	Col	Len	Format	Frequency ComQues# FacQues	# Variable Type & Label
P2C	1088	2	INDIC		N Special; group therapy
				9,967	. Missing
				1	-3 Does not apply to this assessment
				6,006	0 Not indicated
				37	1 Indicated
P2D	1090	2	INDIC		N Special; deliberate environment changes
				9,967	. Missing
				1	-3 Does not apply to this assessment
				5,900 143	0 Not indicated 1 Indicated
				7.42	I indicated
P2E	1092	2	INDIC		N Special; reorientation
				9,967	. Missing
				1	-3 Does not apply to this assessment
				1	-1 Unable to determine 0 Not indicated
				3,254 2,788	1 Indicated
				2,700	1 Indicated
P2F	1094	2	INDIC		N Special; none of above
				9,977	. Missing
				1	-1 Unable to determine
				3,239	0 Not indicated
				2,794	1 Indicated
P3A	1096	2	NUMDAY		N Special; rehab, passive range of motion
				5,870	. Missing
				2	-3 Does not apply to this assessment
				1	-1 Unable to determine
				10,138	0-7 Number of days
P3B	1098	2	NUMDAY		N Special; rehab, active range of motion
				5,870	. Missing
				2	-3 Does not apply to this assessment
				1	-1 Unable to determine
				10,138	0-7 Number of days
P3C	1100	2	NUMDAY		N Special; rehab, splint or brace
				5,870	. Missing
				2	-3 Does not apply to this assessment
				1	-1 Unable to determine
				10,138	0-7 Number of days
P3D	1102	2	NUMDAY		N Special; practice, bed mobility
				5,870	. Missing
				2	-3 Does not apply to this assessment
				1	-1 Unable to determine
				10,138	0-7 Number of days

10/27/04 MDS 2002				MEDICARE Minimum D	CURRENT BENEFICIARY ata Set	s	SURVEY	RIC: Page: Version:	MD 69 1
Variable					ComQues# FacQues#		ariable Type & Label		
P3E	1104	2	NUMDAY				Special; practice, transfer		
				5,870			Missing		
				2			Does not apply to this asse	essment	
				10 120			Unable to determine		
				10,138	U·	- 7	Number of days		
P3F	1106	2	NUMDAY			N	Special; practice, walking		
				5,870			Missing		
				2		-3	Does not apply to this asse	essment	
				1			Unable to determine		
				10,138	0	-7	Number of days		
P3G	1108	2	NUMDAY			N	Special; practice, dressing	g or groomi	ing
				5,870			Missing		
				2		-3	Does not apply to this asse	essment	
				1			Unable to determine		
				10,138	0	-7	Number of days		
РЗН	1110	2	NUMDAY			N	Special; practice, eating of	or swallowi	ing
				5,870			Missing		
				2		-3	Does not apply to this asse	essment	
				1		-1	Unable to determine		
				10,138	0	-7	Number of days		
P3I	1112	2	NUMDAY			N	Special; practice, ampu/pro	osthesis ca	are
				5,870			Missing		
				2		-3	Does not apply to this asse	essment	
				1			Unable to determine		
				10,138	0	-7	Number of days		
P3J	1114	2	NUMDAY			N	Special; practice, communic	cation	
				5,870			Missing		
				2			Does not apply to this asse	essment	
				1 10,138			Unable to determine Number of days		
P3K	1116	2	NUMDAY	10,130	0		Special; practice, other		
L DIV	1110	۷	MUMDAI			IN	opecial, practice, other		
				5,870			Missing	aamor t	
				2			Does not apply to this asse		

-1 Unable to determine

1 Used less than daily

1 Used less than daily

N Special; devices, full bed rails

N Special; devices, other types of rails

0-7 Number of days

. Missing

0 Not used

. Missing

0 Not used

2 Used daily

2 Used daily

2

10,137

3,688

8,740

3,506

3,688

8,652

132 3,539

77

P4A

P4B

1118 2 USED

1120 2 USED

10/27/04 MDS 2002	MEDICARE CURRENT BENEFICIAR Minimum Data Set	Y SURVEY RIC: MD Page: 70 Version: 1	
Variable Col Len Format	Frequency ComQues# FacQues#	Variable Type & Label	
P4C 1122 2 USED		N Special; devices, trunk restraint	
	3,688 11,685 32 606	. Missing 0 Not used 1 Used less than daily 2 Used daily	
P4D 1124 2 USED		N Special; devices, limb restraint	
	3,688 12,284 10 29	. Missing 0 Not used 1 Used less than daily 2 Used daily	

variable	CO1	Len	Format	Frequency	ComQues#	racQues#	variable Type & Label
P4C	1122	2	USED				N Special; devices, trunk restraint
				3,688			. Missing
				11,685			0 Not used
				32			1 Used less than daily
				606			2 Used daily
P4D	1124	2	USED				N Special; devices, limb restraint
				3,688			. Missing
				12,284 10			0 Not used
				29			1 Used less than daily 2 Used daily
				2,7			•
P4E	1126	2	USED				N Special; devices, chair prevents rising
				3,688			. Missing
				11,579			0 Not used
				95 649			1 Used less than daily
				049			2 Used daily
P5	1128	2	NUMDAY2X				N Special; # overnight hospital stays
				9,967			. Missing
				1			-3 Does not apply to this assessment
				6,043		0-1	L5 Number of days
P6	1130	2	NUMDAY2X				N Special; # emergency room visits
				9,871			. Missing
				1			-3 Does not apply to this assessment
				7			-1 Unable to determine
				6,132		0-1	L5 Number of days
P7	1132	2	NUMDAY2X				N Special; # days physician examined
				5,872			. Missing
				5			-3 Does not apply to this assessment
				10,134		0-1	L5 Number of days
P8	1134	2	NUMDAY2X				N Special; # days physician changed orders
				5,870			. Missing
				5			-3 Does not apply to this assessment
				10,136		0-1	L5 Number of days
P9	1136	2	YESNO				N Special; abnormal lab value last 90 days
				9,967			. Missing
				1			-3 Does not apply to this assessment
				1 705		-	-1 Unable to determine
				1,795 4,239			0 No 1 Yes
Q1A	1138	2	YESNO				N Status; expresses pref of discharge
				9,039			. Missing
				9,039 1		-	-3 Does not apply to this assessment
				4			-1 Unable to determine
				4,642			0 No
				2,325			1 Yes

10/27/04 MDS 2002				MEDICARE CURRENT BENEFICIA Minimum Data Set	RIC: MD Page: 71 Version: 1	
				Frequency ComQues# FacQues	es# Variable Type & Label	
Q1B	1140	2	YESNO		N Status; support person pos to discharge	
				9,967 1 3 4,358 1,682	. Missing -3 Does not apply to this assessment -1 Unable to determine 0 No 1 Yes	
Q1C	1142	2	DISCHARG		N Status; discharge projected	
				9,039 1 4 4,455 908 408 1,196	. Missing -3 Does not apply to this assessment -1 Unable to determine 0 No 1 Within 30 days 2 Within 31-90 days 3 Discharge status uncertain	
Q2	1144	2	CHANGE		N Status; overall care change last 90 days	
				3,688 2 9,376 821 2,124	. Missing -1 Unable to determine 0 No change 1 Improved 2 Deteriorated	
R1A	1146	2	YESNO		N Discharge; assess resident particip	
				9,967 1 2 662 5,379	. Missing -3 Does not apply to this assessment -1 Unable to determine 0 No 1 Yes	
R1B	1148	2	YESNOFAM		N Discharge; assess, family particip	
				9,967 1 2 3,123 2,845 73	. Missing -3 Does not apply to this assessment -1 Unable to determine 0 No 1 Yes 2 No family	
R1C	1150	2	YESNONON		N Discharge; assess, signif other particip	
				9,967 1 14 3,747 491 1,791	. Missing -3 Does not apply to this assessment -1 Unable to determine 0 No 1 Yes 2 None	

N Discharge; date RN assess complete

N Discharge; optional state code

N Discharge; date of discharge

N Discharge; code for resident disposition

R2B

R3A R3B

R4

1152 10

1162 2

1164 2

1166 10

10/27/04 MDS			MEDICARE CURRENT BENE Minimum Data Set	FICIARY SURVEY	RIC: MD Page: 72
2002					Version: 1
Variable	Col Le		Frequency ComQues# Fac	cQues# Variable Type & Label	
T1AA	1176 2	NUMDAY		N Supp; recreation thera	py days
			11,124 11 359 140 4,377	. Missing -3 Does not apply to this -2 Item was left blank -1 Unable to determine 0-7 Number of days	assessment
T1AB	1178 4	NUMMINS	1,5,	N Supp; recreation thera	pv minutes
			11,119 18 359 144 4,371	. Missing -3 Does not apply to this -2 Item was left blank -1 Unable to determine 0-9999 Number of minutes	
T1B	1182 2	YESNO		N Supp; PT, OT, ST order	ed first 14 days
			9,500 9 4,819 4 335 1,344	. Missing -3 Does not apply to this -2 Item was left blank -1 Unable to determine 0 No 1 Yes	assessment
T1C	1184 2	NUMDAY2X	Σ	N Supp; therapy days thr	ough day 15
			9,502 10 5,154 7 1,338	. Missing -3 Does not apply to this -2 Item was left blank -1 Unable to determine 0-15 Number of days	assessment
T1D	1186 4	NUMMINS		N Supp; total min therap	y through day 15
			9,501 10 5,154 7 1,339	. Missing -3 Does not apply to this -2 Item was left blank -1 Unable to determine 0-9999 Number of minutes	assessment

N Supp; furthest distance walked

-3 Does not apply to this assessment -2 Item was left blank

. Missing

0 150+ feet

1 51-149 feet

2 26-50 feet 3 10-25 feet

-1 Unable to determine

4 Less than 25 feet

T2A 1190 2 WALKDIST

10,636

11 3,101 158

646

601

319

293

246

10/27/04 MDS 2002				MEDICARE Minimum D	ENEFICIARY	SURVEY	RIC: Page: Version:	MD 73 1
Variable				Frequency		Variable Type & Label		
T2B			WALKTIME			N Supp; time walked withou	t sitting	
				10,636 11 3,098 158 602 721 588 160 34	- -	. Missing -3 Does not apply to this a -2 Item was left blank -1 Unable to determine 0 1-2 minutes 1 3-4 minutes 2 5-10 minutes 3 11-15 minutes 4 16-30 minutes 5 31+ minutes	ssessment	
T2C	1194	2	WALKASSI			N Supp; self-performance i	n walking	
				10,636 11 3,100 158 329 429 884 464	-	. Missing -3 Does not apply to this a -2 Item was left blank -1 Unable to determine 0 Independent 1 Supervision 2 Limited assistance 3 Extensive assistance	ssessment	
T2D	1196	2	WALKSUPP			N Supp; walking support pr	ovided	
				10,636 11 3,100 156 379 352 1,161 216	-	. Missing -3 Does not apply to this a -2 Item was left blank -1 Unable to determine 0 No setup or physical hel 1 Setup help only 2 One person physical assi 3 Two+ persons physical as	p from staff	
T2E	1198	2	YESNO			N Supp; parallel bars used	l	
				10,636 11 3,070 130 1,961 203	-	. Missing -3 Does not apply to this a -2 Item was left blank -1 Unable to determine 0 No 1 Yes	ssessment	
T3MDCR	1200	5				C Case mix group Medicare		
T3STATE	1205	5				C Case mix group State		
U01RA	1210	2	ROUTE			N Drug 1; route of adminis	tration	
				16,011 0 0 0 0 0 0 0 0 0 0	-	. Missing 1 By mouth (PO) 2 Sub lingual (SL) 3 Intramuscular (IM) 4 Intravenous (IV) 5 Subcutaneous (SQ) 6 Rectal (R) 7 Topical 8 Inhalation 9 Enteral tube 10 Other		

Note: Not used in 2002

10/27/04 MEDICARE CURRENT BENEFICIARY SURVEY
MDS Minimum Data Set
2002

RIC: Page:

MD

74

Version: 1 Variable Col Len Format Frequency ComQues# FacQues# Variable Type & Label U01FR 1212 2 \$FREQU C Drug 1; frequency 16,011 Missing && Invalid entry, && 0 Ω -- Invalid entry, --0 C Continuous 0 Other 0 PR (PRN) As necessary 0 0 QO Every other day 0 Q0 Invalid entry, Q0 Q4 Invalid entry, Q4 0 0 00 Invalid entry, 00 0 00 Invalid entry, 00 Ω 1 Invalid entry, One 1D (QD or HS) Once daily Ω 1H (QH) Every hour 0 1M (Q mo) Once each month 1W (Q week) Once each week 0 0 1X Invalid entry, 1X 0 12 Invalid entry, 12 0 2D (BID) Two times daily 2H (Q2H) Every 2 hours 0 0 2M Twice each month 0 2W Two times each week 21 Invalid entry, 21 Ω 0 3D (TID) Three times daily 0 3H (Q3H) Every 3 hours 3P Invalid entry, 3P Ω 3W Three times each week Ω 4D (QID) Four times daily 0 4H (Q4H) Every 4 hours 4W Four times each week 0 0 5D Five times daily 0 5W Five times each week 0 6D Invalid entry, 6D 0 6H (Q6H) Every 6 hours Λ 6W Six times each week 8H (Q8H) Every 8 hours Note: Not used in 2002 U01AA 1214 5 \$AMOUNT C Drug 1; amount administered 16,011 LOW-HIGH Amount administered Note: Not used in 2002 U01PR 1219 2 PRNN N Drug 1; PRN-number of doses 16,011 . Missing 0-99 Number of doses Ω Note: Not used in 2002 U01NDC 1221 9 \$NDCDRUG C Drug 1; National Drug Code (NDC) 16,011 LOW-HIGH National Drug Code Note: Not used in 2002

10/27/04 MDS 2002				MEDICARE Minimum D		BENEFICIA	RY S	URVEY	RIC: Page: Version:	MD 75 1
						s# FacQues#		ariable Type & Label		
U02RA	1230	2	ROUTE				N	Drug 2; route of administr	ation	
				16,011				Missing		
				0				By mouth (PO)		
				0				Sub lingual (SL)		
				0				Intramuscular (IM)		
				0				Intravenous (IV)		
				0				Subcutaneous (SQ) Rectal (R)		
				0				Topical		
				0				Inhalation		
				0				Enteral tube		
				0			10	Other		
			Note: No	t used in	2002					
U02FR	1232	2	\$FREQU				С	Drug 2; frequency		
				16,011				Missing		
				0			&&	Invalid entry, &&		
				0				Invalid entry,		
				0				Continuous		
				0				Other		
				0				(PRN) As necessary Every other day		
				0				Invalid entry, Q0		
				0				Invalid entry, Q4		
				0			00	Invalid entry, 00		
				0				Invalid entry, 00		
				0				Invalid entry, One		
				0				(QD or HS) Once daily (QH) Every hour		
				0				(Q mo) Once each month		
				0				(Q week) Once each week		
				0			1X	Invalid entry, 1X		
				0				Invalid entry, 12		
				0				(BID) Two times daily		
				0				(Q2H) Every 2 hours Twice each month		
				0				Two times each week		
				0				Invalid entry, 21		
				0			3D	(TID) Three times daily		
				0				(Q3H) Every 3 hours		
				0				Invalid entry, 3P		
				0				Three times each week		
				0				(QID) Four times daily (Q4H) Every 4 hours		
				0				Four times each week		
				0				Five times daily		
				0				Five times each week		
				0				Invalid entry, 6D		
				0				(Q6H) Every 6 hours		
				0				Six times each week (Q8H) Every 8 hours		
			Note: No	t used in	2002					
U02AA	1234	5	\$AMOUNT				С	Drug 2; amount administere	d	

Note: Not used in 2002

16,011

LOW-HIGH Amount administered

MDS 2002				Minimum D	ata Set				Page: Version:	76 1
Variable			Format		ComQues#	FacQues#	Va	ariable Type & Label		
U02PR	1239	2	PRNN				N	Drug 2; PRN-number of doses		
				16,011 0				Missing Number of doses		
			Note: No	t used in :	2002					
U02NDC	1241	9	\$NDCDRUG				С	Drug 2; National Drug Code	(NDC)	
				16,011		LOW-HIC	GН	National Drug Code		
			Note: No	t used in :	2002					
U03RA	1250	2	ROUTE				N	Drug 3; route of administra	tion	
				16,011				Missing		
				0				By mouth (PO)		
				0				Sub lingual (SL)		
				0				Intramuscular (IM)		
				0				Intravenous (IV)		
				0				Subcutaneous (SQ)		
				0				Rectal (R)		
				0				Topical Inhalation		
				0				Enteral tube		
				0		-		Other		
				_			-			

RIC: MD

Note: Not used in 2002

10/27/04

10/27/04	MEDICARE CURRENT BENEFICIARY SURVEY	RIC:	MD
MDS	Minimum Data Set	Page:	77
2002		Version:	1

MDS 2002				Minimum D	ata Set				Page: Version:	77 1
Variable	Col	Len			ComQues#			ariable Type & Label		
U03FR	1252	2	\$FREQU				С	Drug 3; frequency		
				16,011				Missing		
				0			&&	Invalid entry, &&		
				0				Invalid entry,		
				0				Continuous		
				0			0	Other		
				0			PR	(PRN) As necessary		
				0			QO	Every other day		
				0			Q0	Invalid entry, Q0		
				0			Q4	Invalid entry, Q4		
				0			00	Invalid entry, 00		
				0			00	Invalid entry, 00		
				0			1	Invalid entry, One		
				0				(QD or HS) Once daily		
				0				(QH) Every hour		
				0				(Q mo) Once each month		
				0				(Q week) Once each week		
				0				Invalid entry, 1X		
				0				Invalid entry, 12		
				0				(BID) Two times daily		
				0				(Q2H) Every 2 hours		
				0				Two times each week		
				0				Two times each week		
				0				Invalid entry, 21 (TID) Three times daily		
				0				(Q3H) Every 3 hours		
				0				Invalid entry, 3P		
				0				Three times each week		
				0				(QID) Four times daily		
				0				(Q4H) Every 4 hours		
				0				Four times each week		
				0				Five times daily		
				0				Five times each week		
				0			6D	Invalid entry, 6D		
				0				(Q6H) Every 6 hours		
				0			бW	Six times each week		
				0			8H	(Q8H) Every 8 hours		
			Note: No	t used in	2002					
U03AA	1254	5	\$AMOUNT				С	Drug 3; amount administere	ed	
				16,011		LOW-H	IGH	Amount administered		
			Note: No	t used in	2002					
U03PR	1259	2	PRNN				N	Drug 3; PRN-number of dose	es.	
				16,011				Missing		
				0		0 -	-99	Number of doses		
			Note: No	t used in	2002					
U03NDC	1261	9	\$NDCDRUG				С	Drug 3; National Drug Code	(NDC)	
				16,011		LOW-H	IGH	National Drug Code		
			Note: No	t used in	2002					

10/27/04 MDS 2002				MEDICARE Minimum D		ENEFICIARY	. S1	URVEY	RIC: Page: Version:	MD 78 1
								ariable Type & Label		
U04RA	1270	2	ROUTE				N	Drug 4; route of administra	tion	
				16,011				Missing		
				0			1	By mouth (PO)		
				0				Sub lingual (SL)		
				0				Intramuscular (IM)		
				0				Intravenous (IV)		
				0				Subcutaneous (SQ) Rectal (R)		
				0				Topical		
				0				Inhalation		
				0			9	Enteral tube		
				0			10	Other		
			Note: No	t used in	2002					
U04FR	1272	2	\$FREQU				С	Drug 4; frequency		
				16,011				Missing		
				0				Invalid entry, &&		
				0				Invalid entry,		
				0				Continuous Other		
				0				(PRN) As necessary		
				0				Every other day		
				0				Invalid entry, Q0		
				0			Q4	Invalid entry, Q4		
				0				Invalid entry, 00		
				0				Invalid entry, 00		
				0				Invalid entry, One		
				0				(QD or HS) Once daily (QH) Every hour		
				0				(Q mo) Once each month		
				0				(Q week) Once each week		
				0				Invalid entry, 1X		
				0				Invalid entry, 12		
				0				(BID) Two times daily		
				0				(Q2H) Every 2 hours Twice each month		
				0				Two times each week		
				0				Invalid entry, 21		
				0			3D	(TID) Three times daily		
				0				(Q3H) Every 3 hours		
				0				Invalid entry, 3P		
				0				Three times each week (QID) Four times daily		
				0				(Q4H) Every 4 hours		
				0				Four times each week		
				0				Five times daily		
				0				Five times each week		
				0				Invalid entry, 6D		
				0				(Q6H) Every 6 hours		
				0				Six times each week (Q8H) Every 8 hours		
			Note: No	t used in	2002			-		
U04AA	1274	5	\$AMOUNT				С	Drug 4; amount administered		

LOW-HIGH Amount administered

Note: Not used in 2002

16,011

10/27/04 MDS 2002				MEDICARE Minimum D		BENEFICIARY	su	RVEY	RIC: Page: Version:	MD 79 1
Variable	Col	Len				FacQues#	Va	riable Type & Label		
U04PR	1279	2	PRNN				N	Drug 4; PRN-number of doses		
				16,011 0				Missing Number of doses		
			Note: Not	used in	2002					
U04NDC	1281	9	\$NDCDRUG				С	Drug 4; National Drug Code	(NDC)	
				16,011		LOW-HIG	ЗH	National Drug Code		
			Note: Not	used in	2002					
U05RA	1290	2	ROUTE				N	Drug 5; route of administra	tion	
				16,011 0 0 0 0 0 0 0 0 0			1 2 3 4 5 6 7 8 9	Missing By mouth (PO) Sub lingual (SL) Intramuscular (IM) Intravenous (IV) Subcutaneous (SQ) Rectal (R) Topical Inhalation Enteral tube Other		

 10/27/04
 MEDICARE CURRENT BENEFICIARY SURVEY
 RIC:
 MD

 MDS
 Minimum Data Set
 Page:
 80

 2002
 Version:
 1

2002					Version: 1
Variable	Col	Len	Format Frequency	ComQues# FacQues#	Variable Type & Label
			\$FREQU		C Drug 5; frequency
			16.011		
			16,011		Missing
			0		&& Invalid entry, &&
			0		Invalid entry,
			0		C Continuous O Other
			0		PR (PRN) As necessary
			0		QO Every other day
			0		Q0 Invalid entry, Q0
			0		Q4 Invalid entry, Q4
			0		00 Invalid entry, 00
			0		00 Invalid entry, 00
			0		1 Invalid entry, One
			0		1D (QD or HS) Once daily
			0		1H (QH) Every hour
			0		1M (Q mo) Once each month
			0		1W (Q week) Once each week
			0		1X Invalid entry, 1X
			0		12 Invalid entry, 12
			0		2D (BID) Two times daily
			0		2H (Q2H) Every 2 hours
			0		2M Twice each month 2W Two times each week
			0		21 Invalid entry, 21
			0		3D (TID) Three times daily
			0		3H (Q3H) Every 3 hours
			0		3P Invalid entry, 3P
			0		3W Three times each week
			0		4D (QID) Four times daily
			0		4H (Q4H) Every 4 hours
			0		4W Four times each week
			0		5D Five times daily
			0		5W Five times each week
			0		6D Invalid entry, 6D
			0		6H (Q6H) Every 6 hours
			0		6W Six times each week
			0		8H (Q8H) Every 8 hours
			Note: Not used in 2	2002	
U05AA	1294	5	\$AMOUNT		C Drug 5; amount administered
			16,011	LOW-H]	IGH Amount administered
			Note: Not used in 2	2002	
U05PR	1299	2	PRNN		N Drug 5; PRN-number of doses
003110	1277	-			-
			16,011		. Missing -99 Number of doses
			Ü	0-	-99 Number of doses
			Note: Not used in 2	2002	
U05NDC	1301	9	\$NDCDRUG		C Drug 5; National Drug Code (NDC)
			16,011	LOW-H]	IGH National Drug Code
			Note: Not used in 2		5
			noce: Noc about III 2		

10/27/04 MDS 2002	MEDICARE CURRENT BENEFICIAR Minimum Data Set	Y SURVEY	RIC: Page: Version:	MD 81 1
	Frequency ComQues# FacQues#	Variable Type & Label		
U06RA 1310 2 ROUTE		N Drug 6; route of administra	tion	
Note: No	16,011 0 0 0 0 0 0 0 0 0 0 0 0 0	. Missing 1 By mouth (PO) 2 Sub lingual (SL) 3 Intramuscular (IM) 4 Intravenous (IV) 5 Subcutaneous (SQ) 6 Rectal (R) 7 Topical 8 Inhalation 9 Enteral tube 10 Other		
U06FR 1312 2 \$FREQU		C Drug 6; frequency		
Note: M	16,011 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Missing && Invalid entry, && Invalid entry, C Continuous O Other PR (PRN) As necessary QO Every other day QO Invalid entry, QO Q4 Invalid entry, QO Q4 Invalid entry, OO OO Invalid entry, OO 1 Invalid entry, One 1D (QD or HS) Once daily HH (QH) Every hour MM (Q mo) Once each month MM (Q week) Once each week IX Invalid entry, IX I2 Invalid entry, I2 DM (Q2H) Every 2 hours DM Twice each month MM Two times each week I Invalid entry, 21 DM (TID) Three times daily HM (Q3H) Every 3 hours DM Three times each week DM (QID) Four times daily HM (Q4H) Every 4 hours HM Four times each week DM Five times each week DM Five times each week DM Five times each week DM Invalid entry, 6D DM (Q6H) Every 6 hours DM Six times each week DM (Q8H) Every 8 hours		
Note: No	t used in 2002			

C Drug 6; amount administered

LOW-HIGH Amount administered

Note: Not used in 2002

16,011

U06AA 1314 5 \$AMOUNT

10/27/04 MDS 2002			_	RE CURRENT E m Data Set	BENEFICIARY	SURVEY	RIC: Page: Version:	
Variable	Col	Len	Format Freque			Variable Type & Label		
U06PR	1319	2	PRNN		1	N Drug 6; PRN-number of dose	5	
			16,	011		. Missing 9 Number of doses		
			Note: Not used	in 2002				
U06NDC	1321	9	\$NDCDRUG		(C Drug 7; National Drug Code	(NDC)	
			16,	011	LOW-HIGH	H National Drug Code		
			Note: Not used	in 2002				
U07RA	1330	2	ROUTE		1	N Drug 7; route of administra	ation	
			16,	011 0 0 0 0 0 0 0 0 0 0		Missing By mouth (PO) Sub lingual (SL) Intramuscular (IM) Intravenous (IV) Subcutaneous (SQ) Rectal (R) Topical Inhalation Enteral tube Other		

10/27/04 MDS 2002				MEDICARE Minimum D		ENEFICIAR	Y S	URVEY	RIC: Page: Version:	MD 83
								ariable Type & Label		
							_			
U07FR	1332	2	\$FREQU				С	Drug 7; frequency		
				16,011 0 0 0 0 0 0 0 0 0 0			C O PR QO Q0 Q4 00 00 1 1 D	Missing Invalid entry, && Invalid entry, Continuous Other (PRN) As necessary Every other day Invalid entry, Q0 Invalid entry, Q4 Invalid entry, 00 Invalid entry, 00 Invalid entry, 00 Invalid entry, One (QD or HS) Once daily (OH) Every hour		
			Note: No	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2002		1M 1W 1X 12 2D 2H 2M 21 3D 3H 3P 3W 4D 4H 4W 5D 5W 6D 6H 6W	(QH) Every hour (Q mo) Once each month (Q week) Once each week Invalid entry, 1X Invalid entry, 12 (BID) Two times daily (Q2H) Every 2 hours Twice each month Two times each week Invalid entry, 21 (TID) Three times daily (Q3H) Every 3 hours Invalid entry, 3P Three times each week (QID) Four times daily (Q4H) Every 4 hours Four times each week Five times daily Five times each week Invalid entry, 6D (Q6H) Every 6 hours Six times each week (Q8H) Every 8 hours		
U07AA	1334	5	\$AMOUNT	16,011		LOW-H:		Drug 7; amount administered	1	
			Note: No	t used in						
U07PR	1339	2	PRNN				N	Drug 7; PRN-number of doses	3	
			Note: No	16,011 0 t used in	2002	0 -		Missing Number of doses		
U07NDC	1341	9	\$NDCDRUG				С	Drug 7; National Drug Code	(NDC)	
				16,011		LOW-H	IGH	National Drug Code		
			Note: No	t used in	2002					

10/27/04 MDS 2002	MEDICARE CURRENT BENEFICIAR Minimum Data Set	Y SURVEY	RIC: Page: Version:	MD 84 1
	Frequency ComQues# FacQues#			
U08RA 1350 2 ROUTE		N Drug 8; route of administra	tion	
Note: No	16,011 0 0 0 0 0 0 0 0 0 0 0 0 0	. Missing 1 By mouth (PO) 2 Sub lingual (SL) 3 Intramuscular (IM) 4 Intravenous (IV) 5 Subcutaneous (SQ) 6 Rectal (R) 7 Topical 8 Inhalation 9 Enteral tube 10 Other		
U08FR 1352 2 \$FREQU		C Drug 8; frequency		
	16,011 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Missing && Invalid entry, && Invalid entry, C Continuous O Other PR (PRN) As necessary QO Every other day QO Invalid entry, Q0 Q4 Invalid entry, Q4 OO Invalid entry, OO 1 Invalid entry, OO 1 Invalid entry, OO 1 Invalid entry, OO 1 Invalid entry, OO 2 Invalid entry, OO 2 Invalid entry, OO 2 Invalid entry, OO 3 Invalid entry, OO 2 Invalid entry, OO 3 Invalid entry, OO 4 Invalid entry, OO 5 Invalid entry, OO 6 Invalid entry, OO 7 Invalid entry, OO 8 Invalid entry, OO 9 Invalid entry, OO 9 Invalid entry, IX 9 Invalid entry, IX 9 Invalid entry, IX 10 Invalid entry, IX 11 Invalid entry, IX 12 Invalid entry, IX 12 Invalid entry, IX 13 Invalid entry, IX 14 Invalid entry, IX 15 Invalid entry, IX 16 Invalid entry, IX 17 Invalid entry, IX 18 Invalid entry, IX 19 Invalid entry, IX 10 Invalid entry, IX 10 Invalid entry, IX 11 Invalid entry, IX 12 Invalid entry, IX 13 Invalid entry, IX 14 Invalid entry, IX 15 Invalid entry, IX 16 Invalid entry, IX 17 Invalid entry, IX 18 Invalid entry, IX 19 Invalid entry, IX 10 Invalid entry, IX		
Note: No	t used in 2002			

16,011

LOW-HIGH Amount administered

C Drug 8; amount administered

Note: Not used in 2002

U08AA 1354 5 \$AMOUNT

10/27/04 MDS 2002				MEDICARE Minimum D		BENEFICIARY	នា	JRVEY	RIC: Page: Version:	MD 85
Variable	Col	Len				FacQues#	Va	ariable Type & Label		
U08PR	1359	2	PRNN				N	Drug 8; PRN-number of doses	\$	
				16,011 0				Missing Number of doses		
			Note: Not	used in	2002					
U08NDC	1361	9	\$NDCDRUG				С	Drug 8; National Drug Code	(NDC)	
				16,011		LOW-HI	GH	National Drug Code		
			Note: Not	used in	2002					
U09RA	1370	2	ROUTE				N	Drug 9; route of administra	ıtion	
				16,011 0 0 0 0 0 0 0 0 0			1 2 3 4 5 6 7 8 9	Missing By mouth (PO) Sub lingual (SL) Intramuscular (IM) Intravenous (IV) Subcutaneous (SQ) Rectal (R) Topical Inhalation Enteral tube Other		

10/27/04 MDS 2002			MEDICARE Minimum	CURRENT BENEFICIARY SURVEY Data Set	RIC: Page: Version:	MD 86 1
			Format Frequenc	y ComQues# FacQues# Variable Type & Label		
U09FR				C Drug 9; frequency		
				Missing && Invalid entry, && Invalid entry, C Continuous O Other PR (PRN) As necessary QO Every other day QO Invalid entry, QO Q4 Invalid entry, QO O Invalid entry, OO O Invalid entry, ON O Invalid entry, IX O Invalid entry, IX O Invalid entry, IX O Invalid entry, I2 O O O O ON O ON O ON O ON O ON O ON O		
U09AA	1374	5	Note: Not used in \$AMOUNT	C Drug 9; amount administere	d	
			16,01 Note: Not used in			
U09PR	1379	2	PRNN	N Drug 9; PRN-number of dose	s	
			16,01 Note: Not used in	0 0-99 Number of doses		
U09NDC	1381	9	\$NDCDRUG	C Drug 9; National Drug Code	(NDC)	
-		•	16,01		. ,	
			Note: Not used in			

10/27/04 MDS 2002				MEDICARE Minimum D		BENEFICIAR	Y S	URVEY	RIC: Page: Version:	MD 87
				Frequency				ariable Type & Label		
U10RA	1390	2	ROUTE				N	Drug 10; route of administr	ration	
			Note: No	16,011 0 0 0 0 0 0 0 0 0 0			1 2 3 4 5 6 7 8	Missing By mouth (PO) Sub lingual (SL) Intramuscular (IM) Intravenous (IV) Subcutaneous (SQ) Rectal (R) Topical Inhalation Enteral tube Other		
U10FR	1392	2		c usca III	2002		С	Drug 10; frequency		
				16,011 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0				Missing Invalid entry, && Invalid entry, Continuous Other (PRN) As necessary Every other day Invalid entry, Q0 Invalid entry, Q4 Invalid entry, 00 Invalid entry, 00 Invalid entry, One (QD or HS) Once daily (QH) Every hour (Q mo) Once each month (Q week) Once each week Invalid entry, 1X Invalid entry, 12 (BID) Two times daily (Q2H) Every 2 hours Twice each month Two times each week Invalid entry, 21 (TID) Three times daily (Q3H) Every 3 hours Invalid entry, 3P Three times each week (QID) Four times daily (Q4H) Every 4 hours Four times each week Five times each week Invalid entry, 6D (Q6H) Every 6 hours Six times each week (Q8H) Every 8 hours		
U10AA	1394	5	Note: No \$AMOUNT	t used in :	2002		C	Drug 10; amount administere	2d	
UIUAA	1394	5	PAMOUNT,				Ċ	Diug IV, amount administere	eu.	

LOW-HIGH Amount administered

Note: Not used in 2002

16,011

10/27/04 MDS 2002	ŀ			MEDICARE (BENEFICIARY	s	URVEY	RIC: Page: Version:	
						# FacQues#	Va 	ariable Type & Label		
U10PR	1399	2	PRNN				N	Drug 10; PRN-number of dose	s	
				16,011 0				Missing Number of doses		
			Note: No	t used in 2	2002					
U10NDC	1401	9	\$NDCDRUG				С	Drug 10; National Drug Code	(NDC)	
				16,011		LOW-HI	GH	National Drug Code		
			Note: No	t used in 2	2002					
U11RA	1410	2	ROUTE				N	Drug 11; route of administr	ation	
				16,011 0 0 0 0 0 0 0 0			1 2 3 4 5 6 7 8 9	Missing By mouth (PO) Sub lingual (SL) Intramuscular (IM) Intravenous (IV) Subcutaneous (SQ) Rectal (R) Topical Inhalation Enteral tube Other		

10/27/04 MEDICARE CURRENT BENEFICIARY SURVEY MDS Minimum Data Set 2002

RIC: MD Page: 89 Version: 1 Variable Col Len Format Frequency ComQues# FacQues# Variable Type & Label U11FR 1412 2 \$FREQU C Drug 11; frequency 16,011 Missing && Invalid entry, && 0 Ω -- Invalid entry, --0 C Continuous 0 Other 0 PR (PRN) As necessary 0 0 QO Every other day 0 Q0 Invalid entry, Q0 Q4 Invalid entry, Q4 0 0 00 Invalid entry, 00 0 00 Invalid entry, 00 Ω 1 Invalid entry, One 1D (QD or HS) Once daily Ω 1H (QH) Every hour 0 1M (Q mo) Once each month 1W (Q week) Once each week 0 0 1X Invalid entry, 1X 0 12 Invalid entry, 12 0 2D (BID) Two times daily 2H (Q2H) Every 2 hours 0 0 2M Twice each month 0 2W Two times each week 21 Invalid entry, 21 Ω 0 3D (TID) Three times daily 0 3H (Q3H) Every 3 hours 3P Invalid entry, 3P Ω 3W Three times each week Ω 4D (QID) Four times daily 0 4H (Q4H) Every 4 hours 4W Four times each week 0 0 5D Five times daily 0 5W Five times each week 0 6D Invalid entry, 6D 0 6H (Q6H) Every 6 hours 6W Six times each week Λ 8H (Q8H) Every 8 hours Note: Not used in 2002 U11AA 1414 5 \$AMOUNT C Drug 11; amount administered 16,011 LOW-HIGH Amount administered Note: Not used in 2002 U11PR 1419 2 PRNN N Drug 11; PRN-number of doses 16,011 . Missing 0-99 Number of doses Ω Note: Not used in 2002 U11NDC 1421 9 \$NDCDRUG C Drug 11; National Drug Code (NDC) 16,011 LOW-HIGH National Drug Code Note: Not used in 2002

		Len							Version:	Τ
U12RA						# FacQues#		ariable Type & Label		
	1430	2	ROUTE				N	Drug 12; route of administ	ration	
				16,011				Missing		
				0				By mouth (PO)		
				0				Sub lingual (SL)		
				0			3	Intramuscular (IM)		
				0				Intravenous (IV)		
				0				Subcutaneous (SQ)		
				0				Rectal (R)		
				0				Topical		
				0				Inhalation		
				0				Enteral tube Other		
							10	other		
			Note: Not	t used in :	2002					
U12FR	1432	2	\$FREQU				С	Drug 12; frequency		
				16,011				Missing		
				0			&&	Invalid entry, &&		
				0				Invalid entry,		
				0			C	Continuous		
				0			0	Other		
				0				(PRN) As necessary		
				0				Every other day		
				0				Invalid entry, Q0		
				0				Invalid entry, Q4 Invalid entry, 00		
				0				Invalid entry, 00		
				0				Invalid entry, One		
				0				(QD or HS) Once daily		
				0				(QH) Every hour		
				0				(Q mo) Once each month		
				0			1W	(Q week) Once each week		
				0			1X	Invalid entry, 1X		
				0				Invalid entry, 12		
				0				(BID) Two times daily		
				0				(Q2H) Every 2 hours		
				0				Twice each month Two times each week		
				0				Invalid entry, 21		
				0				(TID) Three times daily		
				0				(Q3H) Every 3 hours		
				0				Invalid entry, 3P		
				0				Three times each week		
				0			4D	(QID) Four times daily		
				0				(Q4H) Every 4 hours		
				0				Four times each week		
				0				Five times daily		
				0				Five times each week		
				0				Invalid entry, 6D		
				0				(Q6H) Every 6 hours Six times each week		
				0				(Q8H) Every 8 hours		
			Note: Not	t used in	2002					
U12AA	1434	5	\$AMOUNT				C	Drug 12; amount administer	ed	

16,011 LOW-HIGH Amount administered

10/27/04 MDS 2002				MEDICARE (BENEFICIARY	S	URVEY	RIC: Page: Version:	
				Frequency			Va 	ariable Type & Label		
U12PR 1	1439	2	PRNN				N	Drug 12; PRN-number of dose	S	
				16,011 0				Missing Number of doses		
			Note: Not	used in 2	2002					
U12NDC 1	1441	9	\$NDCDRUG				С	Drug 12; National Drug Code	(NDC)	
				16,011		LOW-HIC	GН	National Drug Code		
			Note: Not	used in 2	2002					
U13RA 1	1450	2	ROUTE				N	Drug 13; route of administr	ation	
				16,011 0 0 0 0 0 0 0 0			1 2 3 4 5 6 7 8 9	Missing By mouth (PO) Sub lingual (SL) Intramuscular (IM) Intravenous (IV) Subcutaneous (SQ) Rectal (R) Topical Inhalation Enteral tube Other		

10/27/04	MEDICARE CURRENT BENEFICIARY SURVEY	R.
MDS	Minimum Data Set	Pa
2002		Ve

10/27/04 MDS 2002				MEDICARE Minimum D		BENEFICIAR	y st	JRVEY	RIC: Page: Version:	MD 92 1
				Frequency				riable Type & Label		
U13FR								Drug 13; frequency		
				16,011 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			&& C O PR QO Q0 Q4 00 1 1D 1HM 1W 1Z 2D 2H 2W 4D 3H 4W 4D 5D 5W 6D 6H	Missing Invalid entry, && Invalid entry, Continuous Other (PRN) As necessary Every other day Invalid entry, Q0 Invalid entry, Q4 Invalid entry, Q0 Invalid entry, 00 Invalid entry, 00 Invalid entry, One (QD or HS) Once daily (QH) Every hour (Q mo) Once each month (Q week) Once each week Invalid entry, 12 (BID) Two times daily (Q2H) Every 2 hours Twice each month Two times each week Invalid entry, 21 (TID) Three times daily (Q3H) Every 3 hours Invalid entry, 3P Three times each week (QID) Four times daily (Q4H) Every 4 hours Four times each week Five times each week Invalid entry, 6D (Q6H) Every 6 hours Six times each week		
			Note: No	0 t used in 2	2002		8Н	(Q8H) Every 8 hours		
U13AA	1454	5	\$AMOUNT				С	Drug 13; amount administere	ed	
			Note: No	16,011 t used in 1		LOW-H	IGH	Amount administered		
U13PR	1459	2	PRNN				N	Drug 13; PRN-number of dose	es	
				16,011 0		0 -		Missing Number of doses		
			Note: No	t used in :	2002					
U13NDC	1461	9	\$NDCDRUG				С	Drug 13; National Drug Code	e (NDC)	
				16,011		LOW-H]	IGH	National Drug Code		
			37 37		2000					

10/27/04 MDS 2002				MEDICARE Minimum D		BENEFICIAR	Y S	URVEY	RIC: Page: Version:	MD 93
				Frequency				ariable Type & Label		
U14RA	1470	2	ROUTE				N	Drug 14; route of administ	ration	
			Note: No	16,011 0 0 0 0 0 0 0 0 0 0			1 2 3 4 5 6 7 8 9	Missing By mouth (PO) Sub lingual (SL) Intramuscular (IM) Intravenous (IV) Subcutaneous (SQ) Rectal (R) Topical Inhalation Enteral tube Other		
U14FR	1472	2					С	Drug 14; frequency		
			Note: No	16,011 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2002			Missing Invalid entry, && Invalid entry, Continuous Other (PRN) As necessary Every other day Invalid entry, Q0 Invalid entry, Q0 Invalid entry, 00 Invalid entry, 00 Invalid entry, One (QD or HS) Once daily (QH) Every hour (Q mo) Once each month (Q week) Once each week Invalid entry, 1X Invalid entry, 12 (BID) Two times daily (Q2H) Every 2 hours Twice each month Two times each week Invalid entry, 21 (TID) Three times daily (Q3H) Every 3 hours Invalid entry, 3P Three times each week (QID) Four times daily (Q4H) Every 4 hours Four times each week Five times each week Invalid entry, 6D (Q6H) Every 6 hours Six times each week (Q8H) Every 8 hours		
U14AA	1474	5	Note: No \$AMOUNT	t used in :	2002		C	Drug 14; amount administer	ed	
UL4AA	14/4	5	\$AMOUNT				Ċ	Drug 14, amount administer	eu	

LOW-HIGH Amount administered

Note: Not used in 2002

16,011

10/27/04 MDS 2002	MEDICARE CURRENT BENEFICIARY SURVEY Minimum Data Set	RIC: Page: Version:	
Variable Col Len F	ormat Frequency ComQues# FacQues# Variable Type & Label		
U14PR 1479 2 P	RNN N Drug 14; PRN-number of dose	S	
	16,011 . Missing 0-99 Number of doses		
N	Note: Not used in 2002		
U14NDC 1481 9 \$	NDCDRUG C Drug 14; National Drug Code	(NDC)	
	16,011 LOW-HIGH National Drug Code		
N	Note: Not used in 2002		
U15RA 1490 2 R	N Drug 15; route of administr	ation	
	16,011 . Missing 0		

10/27/04	MEDICARE CURRENT BENEFICIARY SURVEY	RIC:	MD
MDS	Minimum Data Set	Page:	95
2002		Version:	1

MD

2002					version: 1
			Format Frequency Co		Variable Type & Label
U15FR	1492	2	\$FREQU		C Drug 15; frequency
			16,011		Missing
			0	٠,	& Invalid entry, &&
			0		- Invalid entry,
			0		C Continuous
			0		0 Other
			0		R (PRN) As necessary
			0		O Every other day
			0		0 Invalid entry, Q0
			0		4 Invalid entry, Q4
			0		O Invalid entry, 00
			0		0 Invalid entry, 00
			0		1 Invalid entry, One
			0		D (QD or HS) Once daily
			0		H (QH) Every hour
			0		M (Q mo) Once each month
			0		W (Q week) Once each week
			0		X Invalid entry, 1X
			0		2 Invalid entry, 12
			0		D (BID) Two times daily
			0		H (Q2H) Every 2 hours
			0		M Twice each month
			0		W Two times each week
			0		1 Invalid entry, 21
			0		D (TID) Three times daily
			0		H (Q3H) Every 3 hours
			0		P Invalid entry, 3P
			0		W Three times each week
			0		D (QID) Four times daily
			0		H (Q4H) Every 4 hours
			0		W Four times each week
			0		D Five times daily
			0		W Five times each week
			0		D Invalid entry, 6D
			0		H (Q6H) Every 6 hours
			0		W Six times each week
			0		H (Q8H) Every 8 hours
			Note: Not used in 200	02	
U15AA	1494	5	\$AMOUNT		C Drug 15; amount administered
			16,011	LOW-HIG	H Amount administered
			Note: Not used in 200	02	
U15PR	1499	2	PRNN		N Drug 15; PRN-number of doses
			16,011		. Missing
			0	0-9	9 Number of doses
			Note: Not used in 200	02	
U15NDC	1501	9	\$NDCDRUG		C Drug 15; National Drug Code (NDC)
			16,011	LOW-HIG	H National Drug Code
			Note: Not used in 200	02	

10/27/04 MDS 2002				MEDICARE Minimum D		BENEFICIAR	Y S	URVEY	RIC: Page: Version:	MD 96 1
						# FacQues#		ariable Type & Label		
U16RA	1510	2	ROUTE				N	Drug 16; route of administr	ation	
				16,011				Missing		
				0 0				By mouth (PO)		
				0				Sub lingual (SL)		
				0			3	Intramuscular (IM)		
				0				Intravenous (IV)		
				0				Subcutaneous (SQ)		
				0				Rectal (R)		
				0				Topical Inhalation		
				0				Enteral tube		
				0				Other		
			Note: No	t used in	2002					
U16FR	1512	2	\$FREQU				С	Drug 16; frequency		
				16 011				Minaina		
				16,011 0			2.2	Missing Invalid entry, &&		
				0				Invalid entry,		
				0				Continuous		
				0			0	Other		
				0			PR	(PRN) As necessary		
				0				Every other day		
				0				Invalid entry, Q0		
				0				Invalid entry, Q4 Invalid entry, 00		
				0				Invalid entry, 00		
				0				Invalid entry, One		
				0			1D	(QD or HS) Once daily		
				0				(QH) Every hour		
				0				(Q mo) Once each month		
				0				(Q week) Once each week Invalid entry, 1X		
				0				Invalid entry, 12		
				0				(BID) Two times daily		
				0				(Q2H) Every 2 hours		
				0				Twice each month		
				0				Two times each week		
				0				Invalid entry, 21		
				0				(TID) Three times daily (Q3H) Every 3 hours		
				0				Invalid entry, 3P		
				0				Three times each week		
				0			4D	(QID) Four times daily		
				0				(Q4H) Every 4 hours		
				0				Four times each week		
				0				Five times daily		
				0				Five times each week Invalid entry, 6D		
				0				(Q6H) Every 6 hours		
				0				Six times each week		
				0				(Q8H) Every 8 hours		
			Note: No	t used in	2002					
U16AA	1514	5	\$AMOUNT				С	Drug 16; amount administere	ed	

16,011 LOW-HIGH Amount administered

10/27/04 MDS 2002				MEDICARE Minimum D		BENEFICIARY	s	URVEY	RIC: Page: Version:	
						FacQues#	Va 	ariable Type & Label		
U16PR	1519	2	PRNN				N	Drug 16; PRN-number of dose	s	
				16,011 0				Missing Number of doses		
			Note: No	t used in	2002					
U16NDC	1521	9	\$NDCDRUG				С	Drug 16; National Drug Code	(NDC)	
				16,011		LOW-HI	GH	National Drug Code		
			Note: No	t used in	2002					
U17RA	1530	2	ROUTE				N	Drug 17; route of administr	ation	
				16,011 0 0 0 0 0 0 0 0			1 2 3 4 5 6 7 8 9	Missing By mouth (PO) Sub lingual (SL) Intramuscular (IM) Intravenous (IV) Subcutaneous (SQ) Rectal (R) Topical Inhalation Enteral tube Other		

10/27/04	MEDICARE CURRENT BENEFICIARY SURVEY	RIC:
MDS	Minimum Data Set	Page:
2002		Version:

MD

10/27/04				MEDICARE	CURRENT B	ENEFICIARY	Y S	JRVEY	RIC:	MD
MDS				Minimum D	ata Set				Page:	98
2002									Version:	1
Wariahla	a a l	Ton	Earmat	Executorar	ComOnog#	EngOung#	۲7.	ariable Tract Tabel		
								ariable Type & Label 		
U17FR	1532	2	\$FREQU				С	Drug 17; frequency		
			. ~					J		
				16,011				Missing		
				0			&&	Invalid entry, &&		
				0				Invalid entry,		
				0				Continuous		
				0				Other		
				0				(PRN) As necessary		
				0				Every other day Invalid entry, Q0		
				0				Invalid entry, Q0 Invalid entry, Q4		
				0				Invalid entry, 00		
				0				Invalid entry, 00		
				0				Invalid entry, One		
				0			1D	(QD or HS) Once daily		
				0			1H	(QH) Every hour		
				0			1M	(Q mo) Once each month		
				0				(Q week) Once each week		
				0				Invalid entry, 1X		
				0				Invalid entry, 12		
				0				(BID) Two times daily (Q2H) Every 2 hours		
				0				Twice each month		
				0				Two times each week		
				0				Invalid entry, 21		
				0			3D	(TID) Three times daily		
				0			3Н	(Q3H) Every 3 hours		
				0			3P	Invalid entry, 3P		
				0				Three times each week		
				0				(QID) Four times daily		
				0				(Q4H) Every 4 hours		
				0				Four times each week		
				0				Five times daily Five times each week		
				0				Invalid entry, 6D		
				0				(Q6H) Every 6 hours		
				0				Six times each week		
				0			8Н	(Q8H) Every 8 hours		
			Note: No	t used in	2002					
TT1 [7 7 7	1524	_	433401337				~	David 17.		
U17AA	1534	Э	\$AMOUNT				C	Drug 17; amount administer	ea	
				16,011		T-OW-HT	ГGН	Amount administered		
				10,011		2011				
			Note: No	t used in	2002					
U17PR	1539	2	PRNN				N	Drug 17; PRN-number of dos	ses	
				16 011				262		
				16,011 0		0 -		Missing Number of doses		
				U		0-	ラブ	NUMBEL OF GOSES		
			Note: No	t used in	2002					
			0							
U17NDC	1541	9	\$NDCDRUG				C	Drug 17; National Drug Cod	le (NDC)	
				16,011		LOW-HI	IGH	National Drug Code		
			Note: N	ا منا المحمد ا	2002					
			Nore: No	t used in	2002					

10/27/04 MDS 2002				MEDICARE Minimum D		BENEFICIARY	. SI	URVEY	RIC: Page: Version:	MD 99 1
				Frequency				ariable Type & Label		
U18RA	1550	2	ROUTE				N	Drug 18; route of administr	ation	
				16,011				Missing		
				0				By mouth (PO)		
				0				Sub lingual (SL)		
				0			3	Intramuscular (IM)		
				0				Intravenous (IV)		
				0				Subcutaneous (SQ)		
				0				Rectal (R)		
				0				Topical Inhalation		
				0				Enteral tube		
				0				Other		
			Note: No	t used in	2002					
U18FR	1552	2	\$FREQU				С	Drug 18; frequency		
				16,011				Missing		
				0				Invalid entry, &&		
				0				Invalid entry,		
				0				Continuous		
				0				Other		
				0				(PRN) As necessary		
				0				Every other day Invalid entry, Q0		
				0				Invalid entry, Q4		
				0				Invalid entry, 00		
				0				Invalid entry, 00		
				0				Invalid entry, One		
				0				(QD or HS) Once daily		
				0				(QH) Every hour		
				0				(Q mo) Once each month (Q week) Once each week		
				0				Invalid entry, 1X		
				0				Invalid entry, 12		
				0			2D	(BID) Two times daily		
				0				(Q2H) Every 2 hours		
				0				Twice each month		
				0				Two times each week Invalid entry, 21		
				0				(TID) Three times daily		
				0				(Q3H) Every 3 hours		
				0				Invalid entry, 3P		
				0			3₩	Three times each week		
				0				(QID) Four times daily		
				0				(Q4H) Every 4 hours		
				0				Four times each week		
				0				Five times daily Five times each week		
				0				Invalid entry, 6D		
				0				(Q6H) Every 6 hours		
				0				Six times each week		
				0			8Н	(Q8H) Every 8 hours		
			Note: No	t used in	2002					
U18AA	1554	5	\$AMOUNT				С	Drug 18; amount administere	d	

16,011 LOW-HIGH Amount administered

10/27/04 MDS 2002				MEDICARE (BENEFICIARY	· st	URVEY	RIC: Page: Version:	MD 100 1
				Frequency			Va	ariable Type & Label		
U18PR							N	Drug 18; PRN-number of dose	s	
				16,011 0				Missing Number of doses		
			Note: No	t used in 2	2002					
U18NDC	1561	9	\$NDCDRUG				С	Drug 18; National Drug Code	(NDC)	
				16,011		LOW-HI	GH	National Drug Code		
VA01A	1570	2	INDIC				N	Delirium, triggered		
				11,788 281 20 8 3,127 787			-3 -2 -1 0	Missing Does not apply to this asse Item was left blank Unable to determine Not indicated Indicated	ssment	
VA01B	1572	2	INDIC				N	Delirium, care planning		
				11,789 282 20 298 3,280 342			-3 -2 -1 0	Missing Does not apply to this asse Item was left blank Unable to determine Not indicated Indicated	ssment	
VA02A	1574	2	INDIC				N	Cognitive loss, triggered		
				11,788 284 17 5 759 3,158			-3 -2 -1 0	Missing Does not apply to this asse Item was left blank Unable to determine Not indicated Indicated	ssment	
VA02B	1576	2	INDIC				N	Cognitive loss, care planni	ng	
				11,789 285 17 96 1,337 2,487			-3 -2 -1 0	Missing Does not apply to this asse Item was left blank Unable to determine Not indicated Indicated	ssment	

N Visual function, triggered

-1 Unable to determine

0 Not indicated

1 Indicated

. Missing
-3 Does not apply to this assessment
-2 Item was left blank

VA03A 1578 2 INDIC

11,790 284

2,244

1,666

17 10

11,789	10/27/04 MDS 2002				MEDICARE CURRE Minimum Data S	 Y S	URVEY	RIC: Page: Version:	MD 101 1
11,790									
11,790 . Missing . 285 . 3 Does not apply to this assessment 17 . 2 Item was left blank . 228 . 1 Unable to determine . 228 . 1 Unable to determine . 228 . 1 Undicated . 1 Indicated . 228 . 2 INDIC . Missing . 284 . 3 Does not apply to this assessment . 17 . 2 Item was left blank . 1 Unable to determine . 2									
285 -3 Does not apply to this assessment 17 -2 Item was left blank 1882 2 INDIC	VAUSB	1300	2	INDIC		1/	visual function, care pra	illillig	
17									
1,789 Missing 285 3 Does not apply to this assessment 1,788 1 Indicated 1 Indicated 2 INDIC 1,788 1 Indicated 2 INDIC 3 IN								sessment	
2,625 1,066 1 Indicated 1 Indicated									
1,066 1 Indicated									
11,789					•				
284	VA04A	1582	2	INDIC		N	Communication, triggered		
284					11,789		Missing		
17								sessment	
1,339 2,577 1 Indicated 1 Indicated									
VA04B 1584 2 INDIC N Communication, care planning					5	-1	Unable to determine		
VA04B 1584 2 INDIC					1,339	0	Not indicated		
11,789					2,577	1	Indicated		
285	VA04B	1584	2	INDIC		N	Communication, care plann	ing	
17					11,789				
150								sessment	
1,884									
1,886 1 Indicated VA05A 1586 2 INDIC N ADL funct/Rehab potential, triggered 11,788 . Missing 284 -3 Does not apply to this assessment 17 -2 Item was left blank 5 -1 Unable to determine 93 0 Not indicated 1 Indicated VA05B 1588 2 INDIC N ADL funct/Rehab potential, care planning 11,789 . Missing 285 -3 Does not apply to this assessment 17 -2 Item was left blank 22 -1 Unable to determine 631 0 Not indicated 3,267 1 Indicated VA06A 1590 2 INDIC N Urinary incontinence, triggered 11,788 . Missing 284 -3 Does not apply to this assessment 17 -2 Item was left blank -3 Does not apply to this assessment 17 -2 Item was left blank -1 Unable to determine									
VA05A 1586 2 INDIC 11,788 . Missing 284 -3 Does not apply to this assessment 17 -2 Item was left blank 5 -1 Unable to determine 0 N ADL funct/Rehab potential, triggered VA05B 1588 2 INDIC N ADL funct/Rehab potential 1,789 . Missing 285 -3 Does not apply to this assessment 17 -2 Item was left blank 22 -1 Unable to determine 631 3,267 N Urinary incontinence, triggered 11,788 . Missing 284 -3 Does not apply to this assessment 1 Indicated N Urinary incontinence, triggered 11,788 . Missing 284 -3 Does not apply to this assessment 17 -2 Item was left blank -1 Unable to determine									
11,788 . Missing 284 -3 Does not apply to this assessment 17 -2 Item was left blank 5 -1 Unable to determine 93 0 Not indicated 1 Indicated VA05B 1588 2 INDIC N ADL funct/Rehab potential, care planning 11,789 . Missing 285 -3 Does not apply to this assessment 17 -2 Item was left blank 22 -1 Unable to determine 631 0 Not indicated 1,789 1 Indicated VA06A 1590 2 INDIC N Urinary incontinence, triggered 11,788 . Missing 284 -3 Does not apply to this assessment 17 -2 Item was left blank -3 Does not apply to this assessment -4 Item was left blank -5 -1 Unable to determine	VA05A	1586	2	INDIC		N	ADL funct/Rehab potential	, triggered	
284 -3 Does not apply to this assessment 17 -2 Item was left blank 5 -1 Unable to determine 93 0 Not indicated 3,824 1 Indicated VA05B 1588 2 INDIC N ADL funct/Rehab potential, care planning 11,789 . Missing 285 -3 Does not apply to this assessment 17 -2 Item was left blank 22 -1 Unable to determine 631 0 Not indicated 3,267 1 Indicated VA06A 1590 2 INDIC N Urinary incontinence, triggered 11,788 . Missing 284 -3 Does not apply to this assessment 17 -2 Item was left blank -3 Does not apply to this assessment 17 -2 Item was left blank -1 Unable to determine					44 500		_	, 33	
17 -2 Item was left blank 5 -1 Unable to determine 93 0 Not indicated 1 Indicated VA05B 1588 2 INDIC N ADL funct/Rehab potential, care planning 11,789 . Missing 285 -3 Does not apply to this assessment 17 -2 Item was left blank 22 -1 Unable to determine 631 0 Not indicated 3,267 1 Indicated VA06A 1590 2 INDIC N Urinary incontinence, triggered 11,788 . Missing 284 -3 Does not apply to this assessment 17 -2 Item was left blank -1 Unable to determine									
5 -1 Unable to determine 93 0 Not indicated 3,824 1 Indicated VA05B 1588 2 INDIC N ADL funct/Rehab potential, care planning 11,789 . Missing 285 -3 Does not apply to this assessment 17 -2 Item was left blank 22 -1 Unable to determine 631 0 Not indicated 3,267 1 Indicated VA06A 1590 2 INDIC N Urinary incontinence, triggered 11,788 . Missing 284 -3 Does not apply to this assessment 17 -2 Item was left blank -1 Unable to determine								sessment	
93 3,824 1 Indicated VA05B 1588 2 INDIC N ADL funct/Rehab potential, care planning 11,789 285 -3 Does not apply to this assessment 17 -2 Item was left blank 22 -1 Unable to determine 631 3,267 1 Indicated VA06A 1590 2 INDIC N Urinary incontinence, triggered 11,788 284 -3 Does not apply to this assessment 2 Missing 284 -3 Does not apply to this assessment 2 Item was left blank 5 Unable to determine									
VA05B 1588 2 INDIC N ADL funct/Rehab potential, care planning 11,789 285 3 Does not apply to this assessment 17 2 Item was left blank 22 1 Indicated Not indicated Not indicated Not indicated 1 Indicated N Urinary incontinence, triggered 11,788 284 3 Does not apply to this assessment 17 2 Item was left blank - 1 Unable to determine									
11,789 . Missing 285 -3 Does not apply to this assessment 17 -2 Item was left blank 22 -1 Unable to determine 631 0 Not indicated 3,267 1 Indicated VA06A 1590 2 INDIC N Urinary incontinence, triggered 11,788 . Missing 284 -3 Does not apply to this assessment 17 -2 Item was left blank 5 -1 Unable to determine									
285 -3 Does not apply to this assessment 17 -2 Item was left blank 22 -1 Unable to determine 631 0 Not indicated 3,267 1 Indicated VA06A 1590 2 INDIC N Urinary incontinence, triggered 11,788 . Missing 284 -3 Does not apply to this assessment 17 -2 Item was left blank 5 -1 Unable to determine	VA05B	1588	2	INDIC		N	ADL funct/Rehab potential	, care plann	ning
285 -3 Does not apply to this assessment 17 -2 Item was left blank 22 -1 Unable to determine 631 0 Not indicated 3,267 1 Indicated VA06A 1590 2 INDIC N Urinary incontinence, triggered 11,788 . Missing 284 -3 Does not apply to this assessment 17 -2 Item was left blank 5 -1 Unable to determine					11,789		Missing		
22 -1 Unable to determine 631 0 Not indicated 1 Indicated VA06A 1590 2 INDIC N Urinary incontinence, triggered 11,788 . Missing 284 -3 Does not apply to this assessment 17 -2 Item was left blank 5 -1 Unable to determine							_	sessment	
631 0 Not indicated 3,267 1 Indicated VA06A 1590 2 INDIC N Urinary incontinence, triggered 11,788 . Missing 284 -3 Does not apply to this assessment 17 -2 Item was left blank 5 -1 Unable to determine					17	-2	Item was left blank		
3,267 1 Indicated VA06A 1590 2 INDIC N Urinary incontinence, triggered 11,788 . Missing 284 -3 Does not apply to this assessment 17 -2 Item was left blank 5 -1 Unable to determine									
VA06A 1590 2 INDIC 11,788 . Missing 284 -3 Does not apply to this assessment 17 -2 Item was left blank 5 -1 Unable to determine									
11,788 . Missing 284 -3 Does not apply to this assessment 17 -2 Item was left blank 5 -1 Unable to determine					3,267	1	Indicated		
284 -3 Does not apply to this assessment 17 -2 Item was left blank 5 -1 Unable to determine	VA06A	1590	2	INDIC		N	Urinary incontinence, tri	ggered	
17 -2 Item was left blank 5 -1 Unable to determine					11,788		Missing		
5 -1 Unable to determine								sessment	
1,187 0 Not indicated									
2,730 1 Indicated									

N Urinary incontinence, care planning

-3 Does not apply to this assessment
-2 Item was left blank
-1 Unable to determine

. Missing

0 Not indicated 1 Indicated

VA06B 1592 2 INDIC

11,790

285 17 135 1,559 2,225

10/27/04 MDS 2002				MEDICARE Minimum D	BENEFICIARY	ST	JRVEY	RIC: Page: Version:	MI 102 1
				Frequency			ariable Type & Label		
VA07A	1594	2	INDIC			N	Psychosocial well-being, t	riggered	
				11,789 284 17 6 2,616		-3 -2 -1	Missing Does not apply to this ass Item was left blank Unable to determine Not indicated	sessment	
				1,299			Indicated		
VA07B	1596	2	INDIC	11,790 285 17 240 2,751 928		-3 -2 -1 0	Psychosocial well-being, of Missing Does not apply to this ass Item was left blank Unable to determine Not indicated Indicated		3
VA08A	1598	2	INDIC			N	Mood state, triggered		
				11,788 284 17 5 2,133 1,784	-	-3 -2 -1 0	Missing Does not apply to this ass Item was left blank Unable to determine Not indicated Indicated	sessment	
VA08B	1600	2	INDIC			N	Mood state, care planning		
				11,790 285 17 205 2,262 1,452	-	-3 -2 -1 0	Missing Does not apply to this ass Item was left blank Unable to determine Not indicated Indicated	sessment	
VA09A	1602	2	INDIC			N	Behavioral symptoms, trigg	gered	
				11,788 284 17 6 2,680	-	-3 -2 -1	Missing Does not apply to this ass Item was left blank Unable to determine Not indicated	sessment	

				2,080	U	Not indicated
				1,236	1	Indicated
VA09B	1604	2	INDIC		N	Behavioral symptoms, care planning
				11,789		Missing
				285	-3	Does not apply to this assessment
				17		Item was left blank
				249	-1	Unable to determine
				2,659		Not indicated
				1,012	1	Indicated
VA10A	1606	2	INDIC		N	Activities, triggered
				11,789		Missing
				284	-3	Does not apply to this assessment
				17	-2	Item was left blank
				8	-1	Unable to determine
				2,991	0	Not indicated
				922	1	Indicated

10/27/04 MDS 2002				MEDICARE Minimum D	ENEFICIAR	y s	URVEY	RIC: Page: Version:	MD 103
				Frequency		V	ariable Type & Label		
VA10B	1608	2	INDIC			N	Activities, care planning		
				11,790 285 17 253 2,901 765		-3 -2 -1 0	Missing Does not apply to this as Item was left blank Unable to determine Not indicated Indicated	sessment	
VA11A	1610	2	INDIC			N	Falls, triggered		
				11,789 284 17 5 1,247 2,669		-3 -2 -1 0	Missing Does not apply to this as Item was left blank Unable to determine Not indicated Indicated	sessment	
VA11B	1612	2	INDIC			N	Falls, care planning		
				11,789 285 17 130 1,548 2,242		-3 -2 -1 0	Missing Does not apply to this as Item was left blank Unable to determine Not indicated Indicated	sessment	
VA12A	1614	2	INDIC			N	Nutritional status, trigg	ered	
				11,789 284 17 7 819 3,095		-3 -2 -1 0	Missing Does not apply to this as Item was left blank Unable to determine Not indicated Indicated	sessment	
VA12B	1616	2	INDIC			N	Nutritional status, care	planning	
				11,789 285 17 79 1,298 2,543		-3 -2 -1 0	Missing Does not apply to this as Item was left blank Unable to determine Not indicated Indicated		
VA13A	1618	2	INDIC			N	Feeding tubes, triggered		
				11,788 284 17 5 3,646 271		-3 -2 -1 0	Missing Does not apply to this as Item was left blank Unable to determine Not indicated Indicated	sessment	
VA13B	1620	2	INDIC			N	Feeding tubes, care plann	ing	

. Missing

1 Indicated

0 Not indicated

-3 Does not apply to this assessment
-2 Item was left blank
-1 Unable to determine

11,790

242

285 17 353 3,324

10/27/04 MDS 2002				MEDICARE CURRENT BEN Minimum Data Set	NEFICIARY	SURVEY	RIC: Page: Version:	MD 104 1
				Frequency ComQues# F		Variable Type & Label		
VA14A	1622	2	INDIC			N Dehydration/Fluid mainten,	triggered	
				11,789 284 17 6 1,945 1,970	- -	. Missing 3 Does not apply to this asso 2 Item was left blank 1 Unable to determine 0 Not indicated 1 Indicated	essment	
VA14B	1624	2	INDIC			N Dehydration/Fluid mainten,	care plann	ing
				11,789 285 17 206 2,248 1,466	- - -	. Missing 3 Does not apply to this asso 2 Item was left blank 1 Unable to determine 0 Not indicated 1 Indicated	essment	
VA15A	1626	2	INDIC			N Dental care, triggered		
				11,788 284 17 6 2,691 1,225	- - -	. Missing 3 Does not apply to this asso 2 Item was left blank 1 Unable to determine 0 Not indicated 1 Indicated	essment	
VA15B	1628	2	INDIC			N Dental care, care planning		
				11,790 285 17 250 2,890 779	- - -	. Missing 3 Does not apply to this asso 2 Item was left blank 1 Unable to determine 0 Not indicated 1 Indicated	essment	
VA16A	1630	2	INDIC			N Pressure ulcers, triggered		
				11,789 284 17 5 948 2,968	-	. Missing 3 Does not apply to this asso 2 Item was left blank 1 Unable to determine 0 Not indicated 1 Indicated	essment	
VA16B	1632	2	INDIC			N Pressure ulcers, care plan	ning	
				11,790 285 17 88 1,418 2,413	-	. Missing 3 Does not apply to this asse 2 Item was left blank 1 Unable to determine 0 Not indicated 1 Indicated	essment	
VA17A	1634	2	INDIC			N Psychotropic drug use, trig	ggered	
				11,789 284 17 5 1,970	-	. Missing 3 Does not apply to this asso 2 Item was left blank 1 Unable to determine 0 Not indicated 1 Indicated	essment	

10/27/04 MDS 2002	MEDICARE CURRENT BENEFICIAR Minimum Data Set	Y SURVEY	RIC: MD Page: 105 Version: 1	
	Frequency ComQues# FacQues#			
VA17B 1636 2 INDIC		N Psychotropic drug use, care	e planning	
	11,789 285 17 174 2,111 1,635	. Missing -3 Does not apply to this asso- 2 Item was left blank -1 Unable to determine 0 Not indicated 1 Indicated	essment	
VA18A 1638 2 INDIC		N Physical restraints, trigge	ered	
	11,788 284 17 5 3,518 399	. Missing -3 Does not apply to this asso- 2 Item was left blank -1 Unable to determine 0 Not indicated 1 Indicated	essment	
VA18B 1640 2 INDIC		N Physical restraints, care p	planning	
	11,790 285 17 334 3,229 356	. Missing -3 Does not apply to this asso- 2 Item was left blank -1 Unable to determine 0 Not indicated 1 Indicated	essment	
VB2 1642 10		N Signature date, RAP assess	ment	
VB4 1652 10		N Signature date, care plann:	ing	
STATE_CD 1662 2		C FU-STATE-ID		
RESIDENT 1664 7		N FU-RES-INT-ID		
ASMNT_IN 1671 7		N FU-MDS-ASMT-INT-ID		
FACILITY 1678 7		N FU-FAC-INT-ID		
SUBMISS0 1685 10		N FU-SUBMISSION-DATE		
SUBMISSI 1695 6		N FU-MDS-SUBM-SEQ-NBR		
EFFECTIV 1701 10		N FU-EFFECTIVE-DATE		
TARGET_D 1711 10		N FU-TARGET-DATE		
ORIG_ASM 1721 7		N FU-ORIG-ASMT-INT-ID		
ASMNT_MO 1728 1		C FU-AST-MOD-IND		
ASMNT_CO 1729 2		N FU-AST-CORR-VER		
ASMNT_BE 1731 10		N FU-AST-BEG-VER-DT		
ASMNT_EN 1741 10		N FU-AST-END-VER-DT		
CARE_LCK 1751 10		N FU-CARE-LOCK		

P_REC_DT 1761 10

VCODE1 1771 5

N FU-P-REC-DT

C FU-VCODE1

10/27/04 MDS 2002	MEDICARE CURRENT BENEFICIARY Minimum Data Set	Z SURVEY	RIC: Page: Version:	MD 106 1
	Frequency ComQues# FacQues#	Variable Type & Label		
VCODE2 1776 5		C FU-VCODE2		
SFTW_ID 1781 9		C FU-SFTW-ID		
SFT_VER 1790 5		C FU-SFT-VER		
RES_MATC 1795 2		N FU-RES-MATCH-CRITERIA		
MCR_GP 1797 3		C FU-MCR-GP		
CREATED_ 1800 10		N FU-CREATED-DATE		
UPDATED_ 1810 10		N FU-UPDATED-DATE		
MCR_VR 1820 2		C FU-MCR-VR		
MCR_CMI 1822 12		N FU-MCR-CMI		
RES_CHG_ 1834 10		N FU-RES-CHG-YIMESTAMP		
MCR_SET_ 1844 3		C FU-MCR-SET-CODE		
MCD_GP 1847 3		C FU-MCD-GP		
MCD_VR 1850 2		C FU-MCD-VR		
MCD_CMI 1852 12		N FU-MCD-CMI		
MCD_SET_ 1864 3		C FU-MCD-SET-CODE		
SUBREQ 1867 1		C FU-SUBMISSION-REQUIREMENT		
PREPARDT 1868 10		N FU-STATE-PREPARED-DATE		
CPS 1878 1		C FU-COGNITIVE-PERFORMACE-SCA	LE	
BARTHEL 1879 2		N FU-BARTHEL-INDEX		
SORTFLAG 1881 2		C FU-SORT-FLAG		
CRITERIA 1883 1		C FU-CRITERIA		
DOB 1884 10		N FU-DOB		
GENDER 1894 2		N FU-GENDER		
DEATH_DA 1896 10		N FU-DEATH-DA		
MAT_RES 1906 1		C FU-MAT-RES		
COUNTY 1907 3		C FU-COUNTY		
MAT_FAC 1910 1		C FU-MAT-FAC		
R_TARGET 1911 10		N FU-R-TARGET		
AB1IMP 1921 10		N FU-AB1IMP		
RSRTFLAG 1931 1		C FU-RSRTFLAG		
LSTTRANS 1932 1		C FU-LSTTRANS		

10/27/04 MDS 2002	MEDICARE CURRENT BENEF: Minimum Data Set	ICIARY SURVEY	RIC: MD Page: 107 Version: 1
Variable Col Len	Format Frequency ComQues# Fac(Ques# Variable Type & Label	
LSTFULL 1933 1		C FU-LSTFULL	
FACCHG 1934 1		C FU-FACCHG	
LSTTRNDT 1935 10		N FU-LSTTRNDT	
LSTDISDT 1945 10		N FU-LSTDISDT	